



PRICE CATALOGUE 2025

The Heart of Your Healthcare

www.neogenix.org

CONTENTS	PAGE
GENERAL INFORMATION	3
MOLECULAR DIAGNOSTICS TEST LIST	
• IMMUNOSUPPRESSION PANELS	13
• BLOODBORNE INFECTIOUS DISEASES	14
• TUBERCULOSIS	15
• SEXUALLY TRANSMITTED DISEASES PANELS	16
• WOMEN HEALTH SCREENING	17
• GASTROINTESTINAL PANELS	18
• RESPIRATORY PANELS	21
• MENINGITIS/ENCEPHALITIS PANELS	25
• EYE INFECTION (UVEITIS) PANELS	28
• OTHERS (MYCOLOGY, TROPICAL DISEASES, QUALITATIVE VIRAL PANELS, THERAPEUTIC DRUG MONITORING)	29
GENERAL LABORATORY TEST LIST	
PROFILES PACKAGE	
• LABORATORY PROFILES	35
• GENERAL SCREENING AND WELLNESS PROFILES	36
• NEOGENIX SCREENING PROFILES	51
• PRE-EMPLOYMENT AND FOREIGN STUDENT PROFILES	59
• ALLERGY PROFILES	64
• ANTI-AGEING PROFILES	66
• CARDIAC PROFILES	71
• FERTILITY AND ENDOCRINE PROFILES	74
• HAEMATOLOGY PROFILES	77
• FEBRILE & INFECTIOUS DISEASE PROFILES	78
• NEPHROLOGY & DIALYSIS PROFILES	80
• ONCOLOGY SCREENING PROFILES	83
• OBSTETRICS & GYNAECOLOGY PROFILES	85
• SEXUALLY TRANSMITTED DISEASE PROFILES	87
TAG-ON TEST LIST	90
SINGLE TESTS & REFERRAL TESTS	95

About Us

Founded by an experienced knowledge-based operational and management team with more than 10- year experience in the field of medical diagnostics and research, in June 2016. The headquarter (HQ) of Neogenix Laboratoire is located at Kelana Square, Petaling Jaya, consisting of three main departments in its laboratory operation.

- **Molecular Diagnostic Department**
- **Genetic Hereditary & Oncology Department**
- **General Laboratory Department**

NeoGenix integrates strict quality controls to ensure NeoGenix practices compliance to international standards and guidelines of Good Laboratory Practice (GLP) and ISO 15189 (Medical Microbiology). NeoGenix also participates in External Quality Assurance programs organized by the College of American Pathologists (CAP), Genomics Quality Assessment (GenQA), Royal College of Pathologists of Australasia (RCPA), Randox International Quality Assessment Scheme (RIQAS) and Quality Control for Molecular Diagnostics (QCMD), to indicate the accuracy and precision attained in our diagnostic testing and meet the international standards.

NeoGenix has an extensive network of distributors, products and services, which enable our team to have any collaboration or perform any customized/evolving diagnostic and research projects.

The assays listed in this catalogue are the services provided at our PJ HQ, where the lab turnaround time (LTAT) starts upon receiving sample in HQ lab. Branch specific assays offered in each branch will be provided in separate brochure. For customer outside of Klang Valley area, kindly contact sales representative for pricing and brochure for assays conducted in respective branches.

Vision

To be a premier diagnostic laboratory service provider in every community and region that we serve.

Mission

Neogenix Laboratoire is committed to providing excellence and innovation in molecular diagnostics, education and research, positively contributing to the health and wellbeing of the community.

Quality Policy Statement

We are committed to provide professional medical laboratory service through continual improvement by actively pursue ever-improving quality of laboratory services and to satisfy our customers' needs from time to time, in compliance to the requirement of ISO15189 standards.

Our Values

Excellence Quality

We set high standards and achieves world class quality and actively examines the processes to achieve productivity, reliability, and efficiency.

Integrity

Our unwavering commitment for medical and business practices with highest ethical standards, courage, and commitment to do what is right.

Innovation

Leading with discovery and creative solutions and actively seeks opportunities for improvement and develops meaningful solutions.

People

Ethics, expertise, passion, commitment, respect: human resources are at the core of our Group and our most valuable resource.

Location

NeoGenix Laboratoire headquarter is located at Kelana Jaya, Petaling Jaya.

Below is the directory to our locations. If you have any enquiries, you may contact our Sales and Marketing Division.

➤ NEOGENIX LABORATOIRE SDN BHD (HQ)

Unit C707 Level 7, Block C Kelana Square

17 Jalan SS7/26 Kelana Jaya,

47301 Petaling Jaya,

Selangor Darul Ehsan.

☎ +603 7621 2154

email: info@neogenix.org

Service Hours

Service hours in Neogenix Laboratoire is divided into administrative and laboratory service hours. Laboratory service hours include specimen pick up request, perform and reporting of selective tests result. The general service hours are listed as below. Customer is encouraged to check with labs in respective location as some branches may have different service hours.

Day	Administrative Service Hours	Laboratory Service Hours
Monday to Saturday*	8:45am to 5:45pm	8:45am to 5:45pm
Sunday	Off	Off
Public Holiday	Off	To be informed

* Genetic Hereditary and Oncology department only provide services from Monday to Friday. General Laboratory service hour on Saturday is on on-call basis.

Range of Services

We are currently offering a comprehensive and growing menu of laboratory services in the following disciplines:

Molecular Diagnostics

- Immunosuppression Panels
- Bloodborne Infectious Diseases
- Tuberculosis
- Sexually Transmitted Diseases Panels
- Women Health Screening
- Gastrointestinal Panels
- Respiratory Panels
- Central Nervous System Infection Panels
- Eye Infection Panels
- Mycology
- Tropical Diseases
- Therapeutic Drug Monitoring Panels
- Other infectious diseases

General Laboratory

- Biochemistry
- Special chemistry
- Haematology
- Immune-haematology
- Coagulation
- Serology
- Coagulation
- Fluid and Excretions
- Histopathology and Cytopathology
- Toxicology and Trace Elements
- Allergy Testing

There are some tests offered which are referred to other accredited laboratories for processing. It is our practice to ensure that all results generated are of high-quality reporting. We also strive to measure ourselves with our peers. All analytical processes are monitored by rigorous quality control which is assured by participation in External Quality Assurance Programs.

Service Information

Phlebotomy

In addition to analytical services, we also provide phlebotomy service to clients where required. Should this service be required, please contact the Sales Representative assigned to your practice.

Specimen Pick Up Service (Courier)

Specimens pick up service is divided into 2 schedules daily (AM and PM trips). Customer is advised to call prior the cutoff time (refer to table below) to ensure result can be provided within customer's expected time. Arrangement of specimen collection out of scheduled time will be subjected to our team's availability. Fixed collection schedule can be arranged upon request. Kindly contact our Sales Representative for further assistance.

Trip	Cutoff time of request	Estimated collection time
AM	Before 11:00am	11:00am to 1:00pm
PM	Before 4:00pm	3:00pm to 5:00pm

Consumables

We provide the required consumables to our customers. Please call to our office or contact Sales Representative to place order. Kindly indicate the quantity required. It is highly recommended that requests for consumables to be made as early as possible as it will be completed within 2 working days. Consumables usually will be sent during specimens pick up.

Enquiries

Should you have any queries, feel free to contact our Sales Representative assigned to your practice or contact our Call Centre for further assistance.

Customer Feedback

We welcome feedback in the form of comments or complaints as we are committed to continuously improving our services and delivering the highest levels of service to your practice. Should you have any feedback or concerns, you may contact our Sales and Marketing personnel assigned to your practice or submit your complaint directly to the Laboratory Director (LD). In the LD's absence, complaints shall be directed to the Technical Manager (TM). Technical-related complaints will be handled by the TM or their designee. The laboratory also accepts complaints via email or phone by contacting the LD or TM at 03-7621 2154 or info@neogenix.org. Complaints will be addressed promptly, and the complainant will be informed of the actions taken. The complaint form is available on the NGX website.

Urgent Test Requests

Urgent test request is available and subjected to additional charges. Kindly contact our office or Sales Representative for any urgent cases and indicate on the Request form as 'Urgent', to ensure attention is given immediately by lab personnel upon specimen receipt.

Lab Turnaround Time (LTAT)

The lab turnaround time (LTAT) starts from sample received in Neogenix Laboratoire lab that is conducting the requested test to result availability after validated from authorized personnel. For tests that will be conducted only in HQ, the LTAT starts upon receipt of specimen in HQ. LTAT excludes Saturday, Sunday and Public Holiday, except for certain tests (Refer to respective test list to check on the result LTAT). Kindly contact our Sales and Marketing personnel assigned to your practice, should you need more information pertaining to the LTAT of a test or report.

Test Result Dispatch

The test report should be ready within the LTAT during business days from the date of specimen received, i.e., from Monday to Friday. An electronic copy of the final report will be sent to the customers via email. In cases where the results have been delayed to the extent that there is significant compromise to patient care or other reasons, customer will be notified and expected result date shall be informed via email.

Pricing and Payment Policy

All prices are in Malaysian Ringgit and quoted as Nett Price. Prices are subject to taxes imposed or levied by the Malaysian government. The applicable tax rate will be added to the quoted prices.

All Laboratory Fees listed in this price catalogue are in Malaysian Ringgit (RM). Whenever possible, prior notice will be given for fees revision.

However, the company reserved the rights to adjust any fees with immediate effect or notify after the changes especially on non-routine test that referred out to other lab. The price stated are not inclusive of any statutory or governmental taxes or charges, if such charges applied, it shall be added on in the billing.

We seek your cooperation on the following matters to prevent any dispute:

1. Please check your invoice promptly.
2. Immediate notify us of any discrepancy on the invoice or statement of account within 10 days from the date indicated.
3. Insist on a credit note if you have been incorrectly billed.
4. We encourage electronic funds transfer (EFT) to our bank account. Please ask our Sales Representative for details. Payment must be made to NeoGenix Laboratoire Sdn. Bhd.
5. Our Sales Representative and Courier staff are also authorized to collect cheques on behalf of the Company.

Alternatively, you may wish to mail the cheques to our Headquarters in C707, Level 7, Block C, Kelana Square, Kelana Jaya, 47301 Petaling Jaya, Selangor.

Credit term is 30 days from the date of invoice. We reserve the right to impose a late penalty charge for outstanding invoices.

Quality Management System

1.1 General instructions

Proper specimen collection and handling is an integral part of obtaining a valid and timely laboratory test result. Specimens must be obtained using proper phlebotomy techniques, collected in the proper container, correctly. It is the policy of the laboratory to establish the specimen acceptance and requirement procedure, as well as to reject specimens when there is failure to follow these guidelines. All specimens should be handled with universal precautions, as if they are hazardous and infectious. The quality of laboratory results is very much affected by proper specimen collection, handling and transportation. Kindly refer to Neogenix Laboratoire Service Directory which is available in our website (www.neogenix.org) for comprehensive instruction pertaining specimen collection procedure, consumables required, general principles in handling laboratory specimens, and storage condition.

1.2 Rejection of Samples

Samples are rejected in case of

- a) Incomplete Laboratory Test Service Request Form.
- b) Mismatch patient details on specimen and request form
- c) Test requested is not clear
- d) Insufficient specimen
- e) Wrong specimen type
- f) Leaking specimen
- g) Clotted specimen
- h) Delayed sample
- i) Wrong specimen storage condition
- j) Improper transport condition for specimen
- k) No sample received
- l) Test is not offered
- m) Broken tube

In case of a sample rejection, the customer will be informed immediately, and a prompt attempt is made to re-collect/re-send the sample for analysis.



MOLECULAR DIAGNOSTICS TEST LISTS

Immunosuppression Panels

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
B	BK Virus (BKV) Viral Load	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 3 to 5mL urine • 0.5 to 1mL cerebrospinal fluid (CSF)	3 working days
C	Cytomegalovirus (CMV) Viral Load	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 3 to 5mL urine	3 working days
BC	BKV and CMV Combo Viral Load	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma	3 working days
EBV	Epstein-Barr Virus (EBV) Viral Load	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma	3 working days
ADE	Adenovirus (AdV) Viral Load	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 3 to 5mL urine	3 working days
HHVI	Human Herpesvirus 6 (HHV6) Viral Load	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 0.5 to 1mL cerebrospinal fluid (CSF)	3 working days
HHVII	Human Herpesvirus 7 (HHV7) Viral Load	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 0.5 to 1mL cerebrospinal fluid (CSF)	3 working days
HSV1	Herpes Simplex Virus Type 1 & 2 (HSV1 &2) Viral Load	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 0.5 to 1mL cerebrospinal fluid (CSF) • 3 to 5mL urine • Swab (genital, vesicular)	3 working days

‡ EDTA plasma will be used for the assay

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
VZVL	Varicella-Zoster Virus (VZV) Viral Load	2 x 3mL EDTA blood (Purple) ‡ 2mL EDTA plasma 0.5 to 1mL cerebrospinal fluid (CSF) - Vesicular swab	3 working days
JCVL	JC Virus (JCV) Viral Load	2 x 3mL EDTA blood (Purple) ‡ 2mL EDTA plasma 3 to 5mL urine 0.5 to 1mL cerebrospinal fluid (CSF)	3 working days

‡ EDTA plasma will be used for the assay

Bloodborne Infectious Diseases

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
HIV	Human Immunodeficiency Virus (HIV) Viral Load	2 x 3mL EDTA blood (Purple) ‡ 3mL EDTA plasma	5 working days
CD4	CD4 Count and Haemoglobin Concentration Assay - Direct enumeration of CD4 absolute count and percentage - Used in evaluation of immune status of individual diagnosed with, or suspected of developing immune deficiencies LTAT inclusive Saturday	1 x 3mL EDTA blood (Purple) *Sample must reach lab within 24 hours	2 working days
HCV	Hepatitis C Virus (HCV) Viral Load	2 x 3mL EDTA blood (Purple) ‡ 3mL EDTA plasma	5 working days
HBV	Hepatitis B Virus (HBV) Viral Load	2 x 3mL EDTA blood (Purple) ‡ 2 x 3 mL blood in SST tube (Yellow) ‡ 3 mL EDTA plasma 3 mL Serum	4 working days

‡ EDTA plasma/ Serum will be used for the assay

Tuberculosis

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
TB	<i>Mycobacterium tuberculosis</i> PCR (TB PCR) Detection of <i>Mycobacterium tuberculosis</i> (MTB) and non-tuberculosis mycobacteria (NTM) from symptomatic individual	5mL sputum/induced sputum 5mL broncho-alveolar lavage (BAL) 5mL tracheal wash 3 to 5mL heparinized blood (Green) 10mL urine 1 to 1.5mL lymph node aspirate 1.5mL cerebrospinal fluid (CSF) 1mL bone marrow aspirate 3 to 5mL pus from abscess 5mL synovial fluid (from joint) 5mL pleural fluid - Min 2cm fresh tissue/ biopsy (synovial biopsy, endometrial biopsy, tissue biopsy)	3 working days
TS	T-Spot TB Indirect test for M. tuberculosis infection in symptomatic (active TB) and asymptomatic (latent TB) individual Sample accepted only from Monday to Friday in Klang Valley; Monday to Thursday from outstation	≥ 10 years of age: 6mL heparinized blood (Green) 2 to 9 years of age: 4mL heparinized blood (Green) 2 years and below: 2mL heparinized blood (Green) *DO NOT refrigerate/freeze sample *Sample not more than 30 hours	1 working day
QFT	Quantiferon TB Gold Plus	2 x 3mL (total 6mL) heparinized blood (Green) *Sample must reach lab within 46 hours	3 working days

Sexually Transmitted Diseases Panels

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
CN	Sexually Transmitted Infection Panel- Basic Screening Panel (STI-2) Detection of 2 pathogens: • <i>Chlamydia trachomatis</i> • <i>Neisseria gonorrhoeae</i>	• Genital swab (urethral, vaginal, rectal and cervical) • Oropharyngeal (throat) swab • Semen • 5mL urine (First void) • Liquid based cytology specimen (e.g., ThinPrep and SurePath)	3 working days
STI-7	Sexually Transmitted Infection Panel- Essential Screening Panel (STI-7) Detection of 7 pathogens: • <i>Chlamydia trachomatis</i> • <i>Neisseria gonorrhoeae</i> • <i>Trichomonas vaginalis</i> • <i>Mycoplasma hominis</i> • <i>Mycoplasma genitalium</i> • <i>Ureaplasma urealyticum</i> • <i>Ureaplasma parvum</i>	• Genital swab (urethral, vaginal, rectal and cervical) • Oropharyngeal (throat) swab • Semen • 5mL urine (First void) • Liquid based cytology specimen (e.g., ThinPrep and SurePath)	3 working days
GU	Sexually Transmitted Infection Panel- Genital Ulcer Screening Panel Detection of 7 pathogens: • Herpes simplex virus 1 (HSV1) • Herpes simplex virus 2 (HSV2) • Varicella-zoster virus (VZV) • Cytomegalovirus (CMV) • <i>Lymphogranuloma venereum</i> • <i>Haemophilus ducreyi</i> • <i>Treponema pallidum</i>	• Genital swab (urethral, vaginal, rectal and cervical) • 5mL urine (First void) • Liquid based cytology specimen (e.g., ThinPrep and SurePath)	3 working days
SGC	Sexually Transmitted Infection Panel- Combo Panel (STI-14) Detection of 14 pathogens (STI-7 + GU)	• Genital swab (urethral, vaginal, rectal and cervical) • 5mL urine (first void) • Liquid based cytology specimen (e.g., ThinPrep and SurePath)	3 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
STIP	Sexually Transmitted Infection Panel- Premium Panel Detection of 42 pathogens 1. STI-14 2. Human papillomavirus (HPV) 19 High-risk genotypes: 16, 18, 26, 31, 33, 35, 39, 45, 51, 52, 53, 56, 58, 59, 66, 68, 69, 73, 82 3. HPV 9 Low-risk genotypes: 6, 11, 40, 42, 43, 44, 54, 61, 70	- Genital swab (urethral, vaginal, rectal and cervical) - Liquid based cytology specimen (e.g., ThinPrep)	3 working days

Women Health Screening

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
HPVG	Human papillomavirus (HPV) DNA Genotyping 19 High-risk genotypes: 16, 18, 26, 31, 33, 35, 39, 45, 51, 52, 53, 56, 58, 59, 66, 68, 69, 73, 82 9 Low-risk genotypes: 6, 11, 40, 42, 43, 44, 54, 61, 70	- Cervical swab/brush specimen - Liquid based cytology specimen (e.g., ThinPrep)	3 working days

Gastrointestinal Panels

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
RPGPP	Rapid PCR for Gastrointestinal Pathogen Panel (RPGPP) Detection of 22 target pathogens : Bacteria • <i>Campylobacter</i> (<i>C. jejuni</i>, <i>C. coli</i> & <i>C. upsaliensis</i>) • <i>Clostridium difficile</i> (Toxin A/B) • <i>Plesiomonas shigelloides</i> • <i>Salmonella</i> • <i>Yersinia enterocolitica</i> • <i>Vibrio</i> (<i>parahaemolyticus</i> & <i>vulnificus</i>) • <i>Vibrio cholerae</i> Diarrheagenic <i>Escherichia coli</i>/ <i>Shigella</i> • <i>E. coli</i> O157 • Enteraggregative <i>E. coli</i> (EAEC) • Enteropathogenic <i>E. coli</i> (EPEC) • Enterotoxigenic <i>E. coli</i> (ETEC) <i>lt/st</i> • Shiga-like toxin-producing <i>E. coli</i> (STEC) <i>stx1/stx2</i> • <i>Shigella</i>/ Enteroinvasive <i>E. coli</i> (EIEC) Viruses • Adenovirus F 40/41 • Astrovirus • Norovirus GI/GII • Rotavirus A • Sapovirus (I, II, IV and V) Parasites • <i>Cryptosporidium</i> • <i>Cyclospora cayetanensis</i> • <i>Entamoeba histolytica</i> • <i>Giardia lamblia</i> LTAT inclusive Saturday	• Stool	6 hours

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GPP	Gastrointestinal Pathogen Panel Assay-25 (GPP-25) Detection of 25 target pathogens: Bacteria • <i>Campylobacter</i> spp. • <i>Clostridium difficile</i> Toxin B • <i>Salmonella</i> spp. • <i>Yersinia enterocolitica</i> • <i>Vibrio</i> spp. • <i>Shigella</i>/ Enteroinvasive <i>Escherichia coli</i> (EIEC) • <i>Aeromonas</i> spp. • <i>E. coli</i> O157 • <i>C. difficile</i> hypervirulent • Enteroaggregative <i>E. coli</i> (EAEC) • Enteropathogenic <i>E. coli</i> (EPEC) • Enterotoxigenic <i>E. coli</i> (ETEC) • Enterohemorrhagic <i>E. coli</i> (EHEC) Viruses • Adenovirus 40/41 • Astrovirus • Norovirus GI • Norovirus GII • Rotavirus • Sapovirus Parasites • <i>Cryptosporidium</i> spp. • <i>Cyclospora cayetanensis</i> • <i>Entamoeba histolytica</i> • <i>Giardia lamblia</i> • <i>Blastocystis hominis</i> • <i>Dientamoeba fragilis</i>	• Stool	1 working day
GPPBI	Gastrointestinal Pathogen Assay- Bacteria I Panel Detection of 7 target pathogens • <i>Campylobacter</i> spp. • <i>Clostridium difficile</i> Toxin B • <i>Salmonella</i> spp. • <i>Yersinia enterocolitica</i> • <i>Vibrio</i> spp. • <i>Shigella</i>/ Enteroinvasive <i>E. coli</i> (EIEC) • <i>Aeromonas</i> spp.	• Stool	1 working day

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GPPBII	Gastrointestinal Pathogen Assay- Bacteria II Panel Detection of 6 target pathogens • <i>E. coli</i> O157 • <i>Clostridium difficile</i> hypervirulent • Enteropathogenic <i>E. coli</i> (EAEC) • Enteropathogenic <i>E. coli</i> (EPEC) • Enterotoxigenic <i>E. coli</i> (ETEC) • Enterohemorrhagic <i>E. coli</i> (EHEC)	• Stool	1 working day
GPPV	Gastrointestinal Pathogen Assay- Virus Panel Detection of 6 target pathogens • Adenovirus • Astrovirus • Norovirus GI • Norovirus GII • Rotavirus • Sapovirus	• Stool	1 working day
GPPP	Gastrointestinal Pathogen Assay- Parasite Panel Detection of 6 target pathogens • <i>Cryptosporidium</i> spp. • <i>Cyclospora cayetanensis</i> • <i>Entamoeba histolytica</i> • <i>Giardia lamblia</i> • <i>Blastocystis hominis</i> • <i>Dientamoeba fragilis</i>	• Stool	1 working day

Respiratory Panels

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
RY	Respiratory Pathogens 36 Panel Assay (RP36) Detection of 36 target pathogens: Viruses • Adenovirus (grp B, C, E) • Bocavirus • Coronavirus 229E • Coronavirus HKU1 • Coronavirus NL63 • Coronavirus OC43 • Influenza A (H1N1-2009, H7N9, H1N1, H3N2, H5N1) • Influenza B (Victoria strain and Yamagata strain) • Metapneumovirus • Parainfluenza 1 • Parainfluenza 2 • Parainfluenza 3 • Parainfluenza 4 • Respiratory syncytial virus A • Respiratory syncytial virus B • Rhinovirus/ Enterovirus Bacteria • <i>Acinetobacter baumannii</i> • <i>Bordetella pertussis</i> • <i>Chlamydomphila pneumoniae</i> • <i>Escherichia coli</i> • <i>Haemophilus influenzae</i> • <i>Klebsiella pneumoniae</i> • <i>Legionella pneumophila</i> • <i>Moraxella catarrhalis</i> • <i>Mycoplasma pneumoniae</i> • <i>Psuedomonas aeruginosa</i> • <i>Rickettsia</i> • <i>Salmonella</i> • <i>Staphylococcus aureus</i> • <i>Staphylococcus epidermidis</i> • <i>Streptococcus pneumoniae</i> • <i>Streptococcus pyogenes</i> Fungus • <i>Aspergillus fumigatus</i> • <i>Candida albicans</i> • <i>Cryptococcus</i> • <i>Pneumocystis jirovecii</i>	• Throat swab in UTM • Nasal swab in UTM • Nasopharyngeal swab in UTM • Bronchoalveolar lavage (BAL) • Sputum	1 working day

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
RP26	Respiratory Panel Assay (RP26) Detection of 26 target pathogens: Viruses • Influenza A virus (Flu A) • Influenza B virus (Flu B) • Flu A-H1 • Flu A-H1 pdm09 • Flu A-H3 • Respiratory syncytial virus A (RSVA) • Respiratory syncytial virus B (RSVB) • Adenovirus (AdV) • Enterovirus (HEV) • Parainfluenza virus 1 (PIV 1) • Parainfluenza virus 2 (PIV 2) • Parainfluenza virus 3 (PIV 3) • Parainfluenza virus 4 (PIV 4) • Metapneumovirus (MPV) • Bocavirus (HBoV) • Rhinovirus (HRV) • Coronavirus NL63 (CoV NL63) • Coronavirus 229E (CoV 229E) • Coronavirus OC43 (CoV OC43) Bacteria • <i>Mycoplasma pneumoniae</i> • <i>Chlamydia pneumoniae</i> • <i>Legionella pneumophila</i> • <i>Haemophilus influenzae</i> • <i>Streptococcus pneumoniae</i> • <i>Bordetella pertussis</i> • <i>Bordetella parapertussis</i> LTAT inclusive Saturday	• Nasopharyngeal aspirate • Nasopharyngeal swab in UTM • Bronchoalveolar lavage (BAL) • Sputum	1 working day
RPI	Respiratory Panel Assay- Virus Panel I (Flu PCR Panel) Detection of 7 target pathogens: • Influenza A virus (Flu A) • Influenza B virus (Flu B) • Flu A-H1 • Flu A-H1 pdm09 • Flu A-H3 • Respiratory syncytial virus A (RSVA) • Respiratory syncytial virus B (RSVB) LTAT inclusive Saturday	• Nasopharyngeal aspirate • Nasopharyngeal swab in VTM • Bronchoalveolar lavage (BAL) • Sputum	1 working day

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
RPII	Respiratory Panel Assay- Virus Panel II Detection of 7 target pathogens: • Adenovirus (AdV) • Enterovirus (HEV) • Parainfluenza virus 1 (PIV 1) • Parainfluenza virus 2 (PIV 2) • Parainfluenza virus 3 (PIV 3) • Parainfluenza virus 4 (PIV 4) • Metapneumovirus (MPV) LTAT inclusive Saturday	• Nasopharyngeal aspirate • Nasopharyngeal swab in VTM • Bronchoalveolar lavage (BAL) • Sputum	1 working day
RPIII	Respiratory Panel Assay- Virus Panel III Detection of 5 target pathogens: • Bocavirus (HBoV) • Rhinovirus (HRV) • Coronavirus NL63 (CoV NL63) • Coronavirus 229E (CoV 229E) • Coronavirus OC43 (CoV OC43) LTAT inclusive Saturday	• Nasopharyngeal aspirate • Nasopharyngeal swab in VTM • Bronchoalveolar lavage (BAL) • Sputum	1 working day
RV19	Respiratory Panel Assay- Viral Panel (RV19) Detection of 19 target pathogens: • Influenza A virus (Flu A) • Influenza B virus (Flu B) • Flu A-H1 • Flu A-H1 pdm09 • Flu A-H3 • Respiratory syncytial virus A (RSVA) • Respiratory syncytial virus B (RSVB) • Adenovirus (AdV) • Enterovirus (HEV) • Parainfluenza virus 1 (PIV 1) • Parainfluenza virus 2 (PIV 2) • Parainfluenza virus 3 (PIV 3) • Parainfluenza virus 4 (PIV 4) • Metapneumovirus (MPV) • Bocavirus (HBoV) • Rhinovirus (HRV) • Coronavirus NL63 (CoV NL63) • Coronavirus 229E (CoV 229E) • Coronavirus OC43 (CoV OC43) LTAT inclusive Saturday	• Nasopharyngeal aspirate • Nasopharyngeal swab in VTM • Bronchoalveolar lavage (BAL) • Sputum	1 working day

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
RB7	Respiratory Panel Assay- Bacteria Panel (RB7) Detection of 7 target pathogens: • <i>Mycoplasma pneumoniae</i> • <i>Chlamydomphila pneumoniae</i> • <i>Legionella pneumophila</i> • <i>Haemophilus influenzae</i> • <i>Streptococcus pneumoniae</i> • <i>Bordetella pertussis</i> • <i>Bordetella parapertussis</i> LTAT inclusive Saturday	• Nasopharyngeal aspirate • Nasopharyngeal swab in UTM • Bronchoalveolar lavage (BAL) • Sputum	1 working day
COV	Severe Acute Respiratory Syndrome-Coronavirus-2 (SARS-CoV-2) Real-Time PCR Assay • Coronavirus disease (COVID-19) detection LTAT inclusive Saturday	• Nasopharyngeal and oropharyngeal swab in VTM	1 to 2 working days
MCOV	Middle East Respiratory Syndrome-Coronavirus (MERS-CoV) Real-Time PCR Assay	• Nasopharyngeal and oropharyngeal swab in VTM • Sputum • Bronchoalveolar lavage (BAL)	1 working day
HMPV	Metapneumovirus Real-Time PCR Assay	• Throat swab in VTM • Nasal swab in VTM • Nasopharyngeal swab in VTM • Bronchoalveolar lavage (BAL) • Sputum	1 working day

Meningitis/Encephalitis Panels

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
ME	Rapid PCR for Meningitis/ Encephalitis Panel (ME14) Detection of 14 target pathogens: Bacteria • <i>Escherichia coli</i> K1 • <i>Haemophilus influenzae</i> • <i>Listeria monocytogenes</i> • <i>Neisseria meningitidis</i> • <i>Streptococcus agalactiae</i> • <i>Streptococcus pneumoniae</i> Viruses • Cytomegalovirus • Enterovirus • Herpes simplex virus 1 • Herpes simplex virus 2 • Human herpesvirus 6 • Human parechovirus • Varicella zoster virus Yeast • <i>Cryptococcus neoformans/ gattii</i> LTAT inclusive Saturday	• 0.5 to 1mL cerebrospinal fluid	6 hours

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
MF	Meningitis/ Encephalitis 22 Panel Assay (ME22) Detection of 22 target pathogens: Bacteria • <i>Escherichia coli</i> K1 • <i>Haemophilus influenzae</i> • <i>Listeria monocytogenes</i> • <i>Neisseria meningitidis</i> • <i>Streptococcus agalactiae</i> • <i>Streptococcus pneumoniae</i> • <i>Staphylococcus aureus</i> • <i>Borrelia burgdorferi</i> sensu lato/ <i>Borrelia miyamotoi</i> Viruses • Mumps virus • Measles virus • Human enterovirus • Parechovirus • Herpes simplex virus 1 • Herpes simplex virus 2 • Varicella zoster virus • Epstein-Barr virus • Cytomegalovirus • Human herpesvirus 6 • Human herpesvirus 7 • Human herpesvirus 8 Yeast • <i>Cryptococcus neoformans</i> sensu lato • <i>Cryptococcus gattii</i> sensu lato	• 0.6 to 1mL cerebrospinal fluid	1 working day

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
MEI	Meningitis/ Encephalitis Package I Assay (ME27) Detection of 27 target pathogens: Bacteria • <i>Escherichia coli</i> K1 • <i>Haemophilus influenzae</i> • <i>Listeria monocytogenes</i> • <i>Neisseria meningitidis</i> • <i>Streptococcus agalactiae</i> • <i>Streptococcus pneumoniae</i> • <i>Staphylococcus aureus</i> • <i>Borrelia burgdorferi</i> sensu lato/ <i>Borrelia miyamotoi</i> • <i>Mycobacterium tuberculosis</i> • Non-tuberculosis <i>Mycobacteria</i> (NTM) Viruses • Mumps virus • Measles virus • Human enterovirus • Parechovirus • Herpes simplex virus 1 • Herpes simplex virus 2 • Varicella zoster virus • Epstein-Barr virus • Cytomegalovirus • Human herpesvirus 6 • Human herpesvirus 7 • Human herpesvirus 8 • Dengue • Chikungunya • Zika Yeast • <i>Cryptococcus neoformans</i> sensu lato • <i>Cryptococcus gattii</i> sensu lato	• 0.6 to 1mL cerebrospinal fluid	1 working day

Eye Infection (Uveitis) Panels

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
UP	Eye Infection (Uveitis) Panel I Detection of 5 target pathogens: Viruses (quantitative) • Cytomegalovirus • Herpes simplex virus 1 • Herpes simplex virus 2 • Varicella zoster virus Parasite (qualitative) • <i>Toxoplasma gondii</i>	• At least 0.2 mL eye fluid	1 working day
UPII	Eye Infection (Uveitis) Panel II Detection of 7 target pathogens: Viruses (quantitative) • Cytomegalovirus • Herpes simplex virus 1 • Herpes simplex virus 2 • Varicella zoster virus Parasite (qualitative) • <i>Toxoplasma gondii</i> Bacteria (qualitative) • <i>Mycobacterium tuberculosis</i> (MTB) • Non-tuberculosis mycobacteria (NTM)	• At least 0.2 mL eye fluid	1 working day

Other Panels

Mycology

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
AG	<i>Aspergillus</i> Galactomannan Assay Qualitative	1 x 3 mL blood in SST tube (Yellow) 600 µ serum 1 mL BAL	1 working day

Tropical Diseases

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
DCZ	Dengue, Chikungunya and Zika Real-Time PCR Assay	2 x 3 mL EDTA blood (Purple) ‡ 1 x 3 mL blood in SST tube (Yellow) ‡ 2 mL EDTA plasma 1 mL Serum 3 mL urine	2 working days
DGCK	Dengue and Chikungunya Real-Time PCR Assay	2 x 3 mL EDTA blood (Purple) ‡ 1 x 3 mL blood in SST tube (Yellow) ‡ 2 mL EDTA plasma 1 mL Serum 3 mL urine	2 working days
DEN	Dengue Real-Time PCR Assay	2 x 3 mL EDTA blood (Purple) ‡ 1 x 3 mL blood in SST tube (Yellow) ‡ 2 mL EDTA plasma 1 mL Serum 3 mL urine	2 working days
CK	Chikungunya Real-Time PCR Assay	2 x 3 mL EDTA blood (Purple) ‡ 1 x 3 mL blood in SST tube (Yellow) ‡ 2 mL EDTA plasma 1 mL Serum 3 mL urine	2 working days
ZK	Zika Real-Time PCR Assay	2 x 3 mL EDTA blood (Purple) ‡ 1 x 3 mL blood in SST tube (Yellow) ‡ 2 mL EDTA plasma 1 mL Serum 3 mL urine	2 working days

‡ EDTA plasma/ Serum will be used for the assay

Qualitative Viral Panels

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
HSV	Herpes Simplex Virus 1 & 2 PCR	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 0.5 to 1mL cerebrospinal fluid (CSF) • Genital swab • Vesicular swab • 3 to 5mL urine	3 working days
VZV	Varicella-Zoster Virus PCR	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 0.5 to 1mL cerebrospinal fluid (CSF) • Vesicular swab	3 working days
CMQ	Cytomegalovirus PCR	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 3 to 5mL urine	3 working days
HVIQ	Human Herpesvirus 6 (HHV6) PCR	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 0.5 to 1mL cerebrospinal fluid (CSF)	3 working days
HVIIQ	Human Herpesvirus 7 (HHV7) PCR	• 2 x 3mL EDTA blood (Purple) ‡ • 2mL EDTA plasma • 0.5 to 1mL cerebrospinal fluid (CSF)	3 working days

‡ EDTA plasma/ Serum will be used for the assay

Therapeutic Drug Monitoring Panels


Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
INF	Infliximab Trough Level Assay LTAT inclusive Saturday	1 x 3mL blood in SST (Yellow) ‡ 0.3 mL serum	1 working day
ADL	Adalimumab Trough Level Assay LTAT inclusive Saturday	1 x 3mL blood in SST (Yellow) ‡ 0.3 mL serum	1 working day
AINF	Anti-Infliximab Antibody Level Assay LTAT inclusive Saturday	1 x 3mL blood in SST (Yellow) ‡ 0.3 mL serum	1 working day
AADL	Anti-Adalimumab Antibody Level Assay LTAT inclusive Saturday	1 x 3mL blood in SST (Yellow) ‡ 0.3 mL serum	1 working day
INF/AINF	Infliximab Trough Level and Anti-Infliximab Antibody Combo Assay LTAT inclusive Saturday	1 x 3mL blood in SST (Yellow) ‡ 0.3 mL serum	1 working day
ADL/AADL	Adalimumab Trough Level and Anti-Adalimumab Antibody Combo Assay LTAT inclusive Saturday	1 x 3mL blood in SST (Yellow) ‡ 0.3 mL serum	1 working day

‡ EDTA plasma/ Serum will be used for the assay

Others

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
MPX	Monkeypox virus Real-Time PCR Assay	- Lesion/ Vesicle fluid swab in VTM - Throat/ Oropharyngeal swab in VTM - Nasopharyngeal swab in VTM	1 working day (3 to 4 days MOH verification)
TXG	<i>Toxoplasma gondii</i> Real-Time PCR Assay	0.6 to 1mL cerebrospinal fluid (CSF) 2 x 3mL EDTA blood (Purple)	3 working days





GENERAL LABORATORY TEST LISTS

Profiles Package: Laboratory Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
IRST	Iron Studies 1. Iron 2. Total Iron Binding Capacity (TIBC) 3. % Saturation, Transferrin	1 x 3.5mL SST (Yellow)	3 working days
ANAEs	Anaemia Studies 1. Iron 2. Total Iron Binding Capacity (TIBC) 3. %Saturation, Transferrin 4. Ferritin 5. Vitamin B12 6. Folate	1 x 3.5mL SST (Yellow)	3 working days
LFT	Liver Profile 1. Total Protein 2. Albumin 3. Globulin 4. Albumin / Globulin ratio 5. Total Bilirubin 6. AST 7. ALT 8. ALP 9. GGT	1 x 3.5mL SST (Yellow)	2 working days
RL1	Renal and Liver Profile 1. Renal Profile 2 2. Liver Profile	1 x 3.5mL SST (Yellow)	2 working days
RLL	Renal, Liver and Lipid Profile 1. Renal Profile 1 (with Glucose) 2. Liver Profile 3. Lipid Profile	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey)	2 working days

Profile Package: General Screening & Wellness Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSPB1	General Screening Profile – Basic 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1(with Glucose) 6. Hepatitis B Screening Profile 7. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSPB2	General Screening Profile – Basic (with Free T4) 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1(with Glucose) 6. Hepatitis B Screening Profile 7. Free T4 8. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSPR1	General Screening Profile - Regular 1 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1(with Glucose) 7. Hepatitis B Screening Profile 8. Hepatitis A IgG 9. Hepatitis C Ab 10. HIV Ag/Ab Combo Screening 11. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 12. Thyroid Stimulating Hormone (TSH) 13. Free T4 14. Urine Analysis 15. LiverFAST Select	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Please provide patient weight and height Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSPR2	General Screening Profile - Regular 2 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1(with Glucose) 7. Hepatitis B Screening Profile 8. Hepatitis A IgG 9. Hepatitis C Ab 10. HIV Ag/Ab Combo Screening 11. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 12. <i>Helicobacter pylori</i> Abs 13. Thyroid Stimulating Hormone (TSH) 14. Free T4 15. Urine Analysis 16. LiverFAST Select	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Please provide patient weight and height Applicable for tag on tests	2 working days
GSPR3	General Screening Profile - Regular 3 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1(with Glucose) 8. Hepatitis B Screening Profile 9. HIV Ag/Ab Combo Screening 10. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 11. Free T4 12. Rheumatoid Factor (RF) 13. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSPR4	General Screening Profile - Regular 4 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1(with Glucose) 7. HBA1c 8. <i>Helicobacter pylori</i> Abs 9. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSPR5	General Screening Profile - Regular 5 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1(with Glucose) 8. HBA1c 9. Hepatitis B Screening Profile 10. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 11. <i>Helicobacter pylori</i> Abs 12. Thyroid Stimulating Hormone (TSH) 13. Free T4 14. Rheumatoid Factor (RF) 15. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSPR6	General Screening Profile - Regular 6 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1(with Glucose) 8. HBA1c 9. Hepatitis B Screening Profile 10. Hepatitis A IgG 11. HIV Ag/Ab Combo Screening 12. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 13. <i>Helicobacter pylori</i> Abs 14. Thyroid Stimulating Hormone (TSH) 15. Free T4 16. Rheumatoid Factor (RF) 17. AFP 18. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSPR7	General Screening Profile - Regular 7 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1(with Glucose) 8. HBA1c 9. Iron 10. Hepatitis B Screening Profile 11. Hepatitis A IgG 12. HIV Ag/Ab Combo Screening 13. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 14. Thyroid Stimulating Hormone (TSH) 15. Free T4 16. Free T3 17. Rheumatoid Factor (RF) 18. CEA 19. AFP 20. CA 125 21. CA 15-3 22. CA 19-9 23. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSPR8	General Screening Profile - Regular 8 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1 (with Glucose) 8. Hepatitis B Screening Profile 9. Hepatitis A IgG 10. Hepatitis C Ab 11. HIV Ag/Ab Combo Screening 12. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 13. Thyroid Stimulating Hormone (TSH) 14. Rheumatoid Factor (RF) 15. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSPR9	General Screening Profile - Regular 9 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1 (with Glucose) 8. Hepatitis B Screening Profile 9. HIV Ag/Ab Combo Screening 10. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 11. Free T4 12. Rheumatoid Factor (RF) 13. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSP11	General Screening Profile - Regular 11 (Female) 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Thyroid Stimulating Hormone (TSH) 8. Free T4 9. CEA 10. AFP 11. CA 125 12. CA 15-3 13. CA 19-9 14. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSP12	General Screening Profile - Regular 12 (Male) 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Thyroid Stimulating Hormone (TSH) 8. Free T4 9. CEA 10. AFP 11. CA 19-9 12. Total PSA 13. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSP13	General Screening Profile 13 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. HBA1c 7. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSP15	General Screening Profile 15 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Liver Profile 4. Lipid Profile 5. Renal Profile 1 (with Glucose) 6. HBA1c 7. Hepatitis B Screening Profile 8. HIV Ag/Ab Combo Screening 9. <i>Helicobacter pylori</i> Abs 10. Free T4 11. Rheumatoid Factor (RF) 12. AFP 13. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSP16	General Screening Profile 16 1. Full Blood Count 2. Lipid Profile 3. Renal Profile 2 4. HBA1c 5. Glucose 6. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine)	2 working days
ESPF1	Executive Screening Profile Female 1 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1 (with Glucose) 8. HBA1c 9. Hepatitis B Screening Profile 10. Hepatitis A IgG 11. HIV Ag/Ab Combo Screening 12. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 13. <i>Helicobacter pylori</i> Abs 14. Thyroid Stimulating Hormone (TSH) 15. Free T4 16. Rheumatoid Factor (RF) 17. G6PD Screening 18. AFP 19. CEA 20. CA 125 21. CA 15-3 22. CA 19-9 23. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
ESPM1	Executive Screening Profile Male 1 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1(with Glucose) 8. HBA1c 9. Hepatitis B Screening Profile 10. Hepatitis A IgG 11. HIV Ag/Ab Combo Screening 12. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 13. <i>Helicobacter pylori</i> Abs 14. Thyroid Stimulating Hormone (TSH) 15. Free T4 16. Rheumatoid Factor (RF) 17. G6PD Screening 18. AFP 19. CEA 20. CA 19-9 21. Total PSA 22. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
ESP2	Executive Screening Profile 2 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1 (with Glucose) 8. Hepatitis B Screening Profile 9. HIV Ag/Ab Combo Screening 10. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 11. <i>Helicobacter pylori</i> Abs 12. Thyroid Stimulating Hormone (TSH), run Free T4 if TSH abnormal 13. Rheumatoid Factor (RF) 14. AFP 15. CEA 16. CA 125 (female only) 17. CA 15-3 (female only) 18. CA 19-9 19. Total PSA (Male only) 20. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSFTM	General Screening Profile with Female Tumour Markers 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Hepatitis B Screening Profile 8. Hepatitis A IgG 9. Hepatitis C Ab 10. HIV Ag/Ab Combo Screening 11. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 12. Thyroid Stimulating Hormone (TSH) 13. Free T4 14. Rheumatoid Factor (RF) 15. CEA 16. AFP 17. CA 125 18. CA 15-3 19. CA 19-9 20. Urine Analysis 21. LiverFAST Select	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Please provide patient weight and height Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSMTM	General Screening Profile with Male Tumour Markers 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Hepatitis B Screening Profile 8. Hepatitis A IgG 9. Hepatitis C Ab 10. HIV Ag/Ab Combo Screening 11. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 12. Thyroid Stimulating Hormone (TSH) 13. Free T4 14. Rheumatoid Factor (RF) 15. CEA 16. AFP 17. Total PSA 18. CA 19-9 19. CA 15-3 20. Urine Analysis 21. LiverFAST Select	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Please provide patient weight and height Applicable for tag on tests	2 working days
GSA	General Screening (A) 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSB	General Screening (B) 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. HBA1c 9. Urine Albumin / Creatinine ratio (ACR) 10. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSC	General Screening (C) 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. Urine Albumin / Creatinine ratio (ACR) 9. Thyroid Stimulating Hormone (TSH) 10. Hepatitis B Screening Profile 11. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSD	General Screening (D) 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. Urine Albumin / Creatinine ratio (ACR) 9. Thyroid Stimulating Hormone (TSH) 10. Hepatitis B Screening Profile 11. Hepatitis A IgG 12. <i>Helicobacter pylori</i> Abs 13. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSE	General Screening (E) 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. Thyroid Stimulating Hormone (TSH) 9. Hepatitis B Screening Profile 10. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSF	General Screening (F) 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. HBA1c 9. Urine Albumin / Creatinine ratio (ACR) 10. Thyroid Stimulating Hormone (TSH) 11. Hepatitis B Screening Profile 12. Rheumatoid Factor (RF) 13. Urine Analysis	1 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSG	General Screening (G) 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Magnesium 8. hs-CRP 9. Thyroid Stimulating Hormone (TSH) 10. Hepatitis B Screening Profile 11. Syphilis Screening (RPR), if reactive reflex Syphilis Screening (TP) 12. <i>Helicobacter pylori</i> Abs 13. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSH	General Screening (H) 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. HBA1c 8. Thyroid Stimulating Hormone (TSH) 9. Free T4 10. Rheumatoid Factor (RF) 11. Hepatitis B Screening Profile 12. Hepatitis A IgG 13. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GSIF	General Screening (I) Female 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. HBA1c 8. Thyroid Stimulating Hormone (TSH) 9. Free T4 10. Rheumatoid Factor (RF) 11. Hepatitis B Screening Profile 12. Hepatitis A IgG 13. HIV Ag/Ab Combo Screening 14. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 15. <i>Helicobacter pylori</i> Abs 16. AFP 17. CEA 18. CA 125 19. CA 15-3 20. CA 19-9 21. EBV VCA IgA (NPC Screen) 22. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 working days
GSIM	General Screening (I) Male 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. HBA1c 8. Thyroid Stimulating Hormone (TSH) 9. Free T4 10. Rheumatoid Factor (RF) 11. Hepatitis B Screening Profile 12. Hepatitis A IgG 13. HIV Ag/Ab Combo Screening 14. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 15. <i>Helicobacter pylori</i> Abs 16. AFP 17. CEA 18. Total PSA 19. CA 19-9 20. EBV VCA IgA (NPC Screen) 21. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GSJF	General Screening (J) Female 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. HBA1c 8. Thyroid Stimulating Hormone (TSH) 9. Free T4 10. Rheumatoid Factor (RF) 11. hs-CRP 12. Homocysteine 13. Hepatitis B Screening Profile 14. Hepatitis A IgG 15. HIV Ag/Ab Combo Screening 16. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 17. <i>Helicobacter pylori</i> Abs 18. AFP 19. CEA 20. CA 125 21. CA 15-3 22. CA 19-9 23. EBV VCA IgA (NPC Screen) 24. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 working days
GSJM	General Screening (J) Male 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. HBA1c 8. Thyroid Stimulating Hormone (TSH) 9. Free T4 10. Rheumatoid Factor (RF) 11. hs-CRP 12. Homocysteine 13. Hepatitis B Screening Profile 14. Hepatitis A IgG 15. HIV Ag/Ab Combo Screening 16. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 17. <i>Helicobacter pylori</i> Abs 18. AFP 19. CEA 20. Total PSA 21. CA 19-9 22. EBV VCA IgA (NPC Screen) 23. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GS70	General Screening 70 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. Urine Albumin / Creatinine ratio (ACR) 9. Thyroid Stimulating Hormone (TSH) 10. Hepatitis B Screening Profile 11. HIV Ag/Ab Combo Screening 12. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 13. AFP 14. CEA 15. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GS77M	General Screening 77 (Male) 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Magnesium 8. hs-CRP 9. Iron 10. Urine Albumin / Creatinine ratio (ACR) 11. Thyroid Stimulating Hormone (TSH) 12. Hepatitis B Screening Profile 13. Hepatitis A IgG 14. HIV Ag/Ab Combo Screening 15. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 16. Rheumatoid Factor (RF) 17. AFP 18. CEA 19. Total PSA 20. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GS77F	General Screening 77 (Female) 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Magnesium 8. hs-CRP 9. Iron 10. Urine Albumin / Creatinine ratio (ACR) 11. Thyroid Stimulating Hormone (TSH) 12. Hepatitis B Screening Profile 13. Hepatitis A IgG 14. HIV Ag/Ab Combo Screening 15. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 16. Rheumatoid Factor (RF) 17. AFP 18. CEA 19. CA 125 20. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GS78	General Screening 78 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. HBA1c 9. Iron Studies 10. Apo B & Apo A-1 ratio 11. Homocysteine 12. Thyroid Stimulating Hormone (TSH) 13. Hepatitis B Screening Profile 14. AFP 15. Urine Albumin / Creatinine ratio (ACR) 16. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GS85M	General Screening 85 (Male) 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Magnesium 8. hs-CRP 9. HBA1c 10. Iron Studies 11. Homocysteine 12. Thyroid Stimulating Hormone (TSH) 13. Hepatitis B Screening Profile 14. Hepatitis A IgG 15. HIV Ag/Ab Combo Screening 16. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 17. Rheumatoid Factor (RF) 18. AFP 19. CEA 20. Total PSA 21. Urine Albumin / Creatinine ratio (ACR) 22. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GS85F	General Screening 85 (Female) 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Magnesium 8. hs-CRP 9. HBA1c 10. Iron Studies 11. Homocysteine 12. Thyroid Stimulating Hormone (TSH) 13. Hepatitis B Screening Profile 14. Hepatitis A IgG 15. HIV Ag/Ab Combo Screening 16. Syphilis Screening (TP), if positive reflex Syphilis Screening (RPR) 17. Rheumatoid Factor (RF) 18. AFP 19. CEA 20. CA125 21. Urine Albumin / Creatinine ratio (ACR) 22. Urine Analysis	2 x 3mL EDTA (Purple) 2 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
GQ3	General Screening Q3 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GH2	General Screening H2 1. Full Blood Count 2. Blood Film Comment 3. Lipid Profile 4. Liver Profile 5. Renal Profile 1 (with Glucose) 6. Magnesium 7. hs-CRP 8. HBA1c 9. Urine Albumin / Creatinine Ratio (ACR) 10. Urine Analysis	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Profile Package: Neogenix Screening Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
NBSP	NeoGenix Basic Screening Profile 1 1. Full Blood Count 2. Lipid Profile 3. Glucose 4. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x Fluoride (Grey) 50mL Urine (Midstream Urine)	2 working days
NBSP2	NeoGenix Basic Screening Profile 2 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Liver Profile 5. Lipid Profile 6. Renal Profile 1 (with Glucose) 7. HBA1c 8. Urine Analysis	1 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
NBSP3	NeoGenix Basic Screening Profile 3 1. Full Blood Count 2. Liver Profile 3. Lipid Profile 4. Renal Profile 1 (with Glucose) 5. HBA1c 6. HIV Ag/Ab Combo Screening 7. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine)	2 working days
NBSP4	NeoGenix Basic Screening Profile 4 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Liver Profile 4. Lipid Profile 5. Renal Profile 1 (with Glucose) 6. HBA1c 7. Thyroid Stimulating Hormone (TSH) 8. Rheumatoid Factor (RF) 9. Hepatitis B Screening Profile 10. HIV Ag/Ab Combo Screening 11. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 12. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
NBSP5	NeoGenix Basic Screening Profile 5 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Liver Profile 4. Lipid Profile 5. Renal Profile 1 (with Glucose) 6. HBA1c 7. Thyroid Stimulating Hormone (TSH) 8. Rheumatoid Factor (RF) 9. Hepatitis B Screening Profile 10. HIV Ag/Ab Combo Screening 11. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 12. <i>Helicobacter pylori</i> Abs 13. CEA 14. AFP 15. Urine Analysis	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
NBSP6	NeoGenix Basic Screening Profile 6 (with 3 Female Tumour Markers) 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Liver Profile 4. Lipid Profile 5. Renal Profile 1 (with Glucose) 6. HBA1c 7. Thyroid Stimulating Hormone (TSH) 8. Rheumatoid Factor (RF) 9. Hepatitis B Screening Profile 10. HIV Ag/Ab Combo Screening 11. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 12. <i>Helicobacter pylori</i> Abs 13. CEA 14. AFP 15. CA 125 16. CA 15-3 17. CA 19-9 18. Urine Analysis	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
NBSP7	NeoGenix Basic Screening Profile 7 (with 2 Male Tumour Markers) 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Liver Profile 4. Lipid Profile 5. Renal Profile 1 (with Glucose) 6. HBA1c 7. Thyroid Stimulating Hormone (TSH) 8. Rheumatoid Factor (RF) 9. Hepatitis B Screening Profile 10. HIV Ag/Ab Combo Screening 11. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 12. <i>Helicobacter pylori</i> Abs 13. CEA 14. AFP 15. Total PSA 16. CA 19-9 17. Urine Analysis	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
NBSP9	NeoGenix Basic Screening Profile 9 1. Full Blood Count 2. Liver Profile 3. Lipid Profile 4. Renal Profile 1 (with Glucose) 5. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine)	2 working days
NBP10	NeoGenix Basic Screening Profile 10 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Grouping & Rhesus Typing 4. Liver Profile 5. Lipid Profile 6. Renal Profile 1 (with Glucose) 7. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine)	2 working days
NBP11	NeoGenix Basic Screening Profile 11 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Liver Profile 5. Lipid Profile 6. Renal Profile 1 (with Glucose) 7. Urine Analysis	1 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
NSP1	NeoGenix Screening Profile 1 1. Liver Profile 2. Renal Profile 1 (with Glucose) 3. Hepatitis B Screening Profile 4. Hepatitis C Ab 5. HIV Ag/Ab Combo Screening 6. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) Applicable for tag on tests	2 working days
NSP2	NeoGenix Screening Profile 2 1. Liver Profile 2. Renal Profile 1 (with Glucose) 3. Hepatitis B Screening Profile 4. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey)	2 working days
NSP3	NeoGenix Screening Profile 3 1. Liver Profile 2. Renal Profile 1 (with Glucose)	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey)	2 working days
NSP4	NeoGenix Screening Profile 4 1. Liver Profile 2. Renal Profile 1 (with Glucose) 3. Hepatitis B Screening Profile 4. Hepatitis C Ab 5. HIV Ag/Ab Combo Screening 6. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) Applicable for tag on tests	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
NSP5	NeoGenix Screening Profile 5 1. Full Blood Count 2. Liver Profile 3. Renal Profile 1 (with Glucose) 4. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine)	2 working days
NSP6	NeoGenix Screening Profile 6 1. Full Blood Count 2. Liver Profile 3. Renal Profile 1 (with Glucose) 4. Hepatitis B Screening Profile 5. Hepatitis C Ab 6. HIV Ag/Ab Combo Screening 7. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 8. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
NSP7	NeoGenix Screening Profile 7 1. Full Blood Count 2. Blood Film Comment 3. Blood Grouping & Rhesus Typing 4. Lipid Profile 5. Liver Profile 6. Renal Profile 1 (with Glucose) 7. Hepatitis B Screening Profile 8. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 9. Free T4 10. Rheumatoid Factor (RF) 11. AFP 12. Urine Analysis	1 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
NSP10	NeoGenix Screening Profile 10 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Blood Film Comment 4. Liver Profile 5. Lipid Profile 6. Renal Profile 1 (with Glucose) 7. HBA1c 8. Hepatitis B Screening Profile 9. HIV Ag/Ab Combo Screening 10. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 11. <i>Helicobacter pylori</i> Abs 12. Thyroid Profile 13. Total PSA 14. CEA 15. AFP 16. CA 19-9 17. Estradiol (E2) 18. Progesterone (P4) 19. Testosterone 20. Cortisol 21. Urine Analysis	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	3 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
NSP11	NeoGenix Screening Profile 11 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Erythrocytes Sedimentation Rate (ESR) 4. Blood Film Comment 5. Lipid Profile 6. Liver Profile 7. Renal Profile 1 (with Glucose) 8. HBA1c 9. Iron 10. Thyroid Stimulating Hormone (TSH) 11. Free T4 12. Rheumatoid Factor (RF) 13. Hepatitis B Screening Profile 14. Hepatitis A IgG 15. HIV Ag/Ab Combo Screening 16. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 17. Follicle Stimulating Hormone (FSH) 18. Luteinizing Hormone (LH) 19. Prolactin 20. Estradiol (E2) 21. Progesterone (P4) 22. Testosterone 23. DHEAS 24. Beta-HCG 25. Cortisol 26. Insulin Growth Factor 1 (IGF-1) 27. Insulin 28. CEA 29. AFP 30. CA 125 31. CA 19-9 32. CA 15-3 33. Urine Analysis	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	3 to 5 working days
NSP12	NeoGenix Screening Profile 12 1. Full Blood Count 2. Liver Profile 3. Renal Profile 1 (with Glucose) 4. Hepatitis B Screening Profile 5. Hepatitis A IgG 6. Hepatitis C Ab 7. HIV Ag/Ab Combo Screening 8. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 9. Herpes Simplex 1 IgG 10. Herpes Simplex 2 IgG 11. Urine Analysis	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	3 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
NSP13	NeoGenix Screening Profile 13 1. Full Blood Count 2. Lipid Profile 3. Liver Profile 4. Renal Function 1 (with Glucose) 5. hs-CRP 6. HBA1c 7. Hepatitis Bs Ag 8. Hepatitis C Ab 9. Syphilis Screening (TP) 10. Syphilis Screening (RPR) 11. Cytomegalovirus IgG 12. Thyroid Stimulating Hormone (TSH) 13. D-Dimer 14. Urine Analysis 15. Urine Protein / Creatinine ratio	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 1 x 1.8mL Sodium citrate (Blue) 50mL Urine (Midstream Urine) Applicable for tag on tests	2 working days
NSP14	Medical Health Screening Packages 1 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Liver Profile 6. Lipid Profile 7. Renal Profile 1 (with Glucose) 8. HBA1c 9. Hepatitis B Screening Profile 10. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 11. Thyroid Stimulating Hormone (TSH) 12. Rheumatoid Factor (RF) 13. Urine Analysis	1 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	3 working days
NSP15	Medical Health Screening Packages 2 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Liver Profile 6. Lipid Profile 7. Renal Profile 1 (with Glucose) 8. HBA1c 9. Hepatitis B Screening Profile 10. Hepatitis A IgG 11. HIV Ag/Ab Combo Screening 12. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 13. Thyroid Stimulating Hormone (TSH) 14. Rheumatoid Factor (RF) 15. AFP 16. Urine Analysis	1 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	3 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
NSP16	Medical Health Screening Packages 3 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Liver Profile 6. Lipid Profile 7. Renal Profile 1 (with Glucose) 8. HBA1c 9. Hs-Troponin I and Risk Stratification 10. Hepatitis B Screening Profile 11. Hepatitis A IgG 12. HIV Ag/Ab Combo Screening 13. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 14. Thyroid Stimulating Hormone (TSH) 15. Rheumatoid Factor (RF) 16. AFP 17. Urine Analysis	1 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 1 x 3mL Lithium Heparin (Green) 50mL Urine (Midstream Urine) Applicable for tag on tests	3 working days
NSP17	Neogenix Screening Profile 17 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Liver Profile 4. Lipid Profile 5. Renal Profile 1 (with Glucose) 6. HBA1c 7. Hepatitis B Screening Profile 8. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 9. Thyroid Stimulating Hormone (TSH) 10. Rheumatoid Factor (RF) 11. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	3 working days
NSP18	Neogenix Screening Profile 18 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Liver Profile 4. Lipid Profile 5. Renal Profile 1 (with Glucose) 6. HBA1c 7. Hepatitis B Screening Profile 8. Syphilis Screening (TP), if positive reflex Syphilis Screening (RPR) 9. Thyroid Stimulating Hormone (TSH) 10. Rheumatoid Factor (RF) 11. <i>Helicobacter pylori</i> Abs 12. Urine Analysis 13. CEA 14. AFP 15. CA 19-9 16. Total PSA (Male only) 17. CA 125 (Female only) 18. CA 15-3 (Female only)	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	3 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
PS1	Permai Screening 1 1. Haemoglobin 2. Liver Profile 3. Uric Acid 4. AFB Stain (Sputum) 5. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine) 1 x Sputum	3 working days

Profile Package: Pre-Employment & Foreign Student Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
PEP1M	Pre-Employment Profile 1 (Male) 1. Blood Grouping & Rhesus Typing 2. Malarial Parasite 3. Hepatitis Bs Antigen 4. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 5. HIV Ag/Ab Combo Screening 6. Opiates Screening 7. Cannabinoid Screening 8. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
PEP1F	Pre-Employment Profile 1 (Female) 1. Blood Grouping & Rhesus Typing 2. Malarial Parasite 3. Hepatitis Bs Antigen 4. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 5. HIV Ag/Ab Combo Screening 6. Opiates Screening 7. Cannabinoid Screening 8. Urine Pregnancy Test (UPT) 9. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
PEP2M	Pre-Employment Profile 2 (Male) 1. Blood Grouping & Rhesus Typing 2. Malarial Parasite 3. Hepatitis B Screening Profile 4. HIV Ag/Ab Combo Screening 5. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 6. Opiates Screening 7. Cannabinoid Screening 8. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
PEP2F	Pre-Employment Profile 2 (Female) 1. Blood Grouping & Rhesus Typing 2. Malarial Parasite 3. Hepatitis B Screening Profile 4. HIV Ag/Ab Combo Screening 5. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 6. Opiates Screening 7. Cannabinoid Screening 8. Urine Pregnancy Test (UPT) 9. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
PEP3M	Pre-Employment Profile 3 (Male) 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Malarial Parasite 4. Hepatitis B Screening Profile 5. HIV Ag/Ab Combo Screening 6. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 7. Opiates Screening 8. Cannabinoid Screening 9. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
PEP3F	Pre-Employment Profile 3 (Female) 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Malarial Parasite 4. Hepatitis B Screening Profile 5. HIV Ag/Ab Combo Screening 6. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 7. Opiates Screening 8. Cannabinoid Screening 9. Urine Pregnancy Test (UPT) 10. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
PEP4M	Pre-Employment Profile 4 (Male) 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Malarial Parasite 4. Hepatitis B Screening Profile 5. Hepatitis C Ab 6. HIV Ag/Ab Combo Screening 7. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 8. Opiates Screening 9. Cannabinoid Screening 10. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
PEP4F	Pre-Employment Profile 4 (Female) 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Malarial Parasite 4. Hepatitis B Screening Profile 5. Hepatitis C Ab 6. HIV Ag/Ab Combo Screening 7. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 8. Opiates Screening 9. Cannabinoid Screening 10. Urine Pregnancy Test (UPT) 11. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
PEP5M	Pre-Employment Profile 5 (Male) 1. Hepatitis Bs Antigen 2. HIV Ag/Ab Combo Screening 3. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 4. Opiates Screening 5. Cannabinoid Screening 6. Urine Analysis	1 x 3.5mL SST (Yellow) 50mL Urine (Midstream Urine)	2 working days
PEP5F	Pre-Employment Profile 5 (Female) 1. Hepatitis Bs Antigen 2. HIV Ag/Ab Combo Screening 3. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 4. Opiates Screening 5. Cannabinoid Screening 6. Urine Pregnancy Test (UPT) 7. Urine Analysis	1 x 3.5mL SST (Yellow) 50mL Urine (Midstream Urine)	2 working days
PEP6	Pre-Employment Profile 6 1. Blood Grouping & Rhesus Typing 2. Hepatitis Bs Antigen 3. HIV Ag/Ab Combo Screening 4. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	2 working days
PEP7M	Pre-Employment Profile 7 (Male) 1. Blood Grouping & Rhesus Typing 2. Hepatitis Bs Antigen 3. HIV Ag/Ab Combo Screening 4. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 5. Opiates Screening 6. Cannabinoid Screening 7. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
PEP7F	Pre-Employment Profile 7 (Female) 1. Blood Grouping & Rhesus Typing 2. Hepatitis Bs Antigen 3. HIV Ag/Ab Combo Screening 4. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 5. Opiates Screening 6. Cannabinoid Screening 7. Urine Pregnancy Test (UPT) 8. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
PEP8	Pre-Employment Profile 8 1. Malarial Parasite 2. Hepatitis B Screening Profile 3. Hepatitis C Ab 4. HIV Ag/Ab Combo Screening 5. Syphilis Screening (RPR) 6. Rubella IgG 7. Opiates Screening 8. Cannabinoid Screening 9. Amphetamine Screening 10. Urine Glucose 11. Urine Protein/Albumin	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
PEP9	Pre-Employment Profile 9 1. Opiates Screening 2. Cannabinoid Screening 3. Amphetamine Screening 4. Methamphetamine (MAM) Screening 5. Methylenedioxy & Methamphetamine (MDMA) Screening 6. Urine Analysis	50mL Urine (Midstream Urine)	2 working days
FSP1	Foreign Students Package 1 1. Malarial Parasite 2. Hepatitis B Screening Profile 3. Hepatitis C Ab 4. HIV Ag/Ab Combo Screening 5. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 6. Opiates Screening 7. Cannabinoid Screening 8. Amphetamine Screening 9. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
FSP2	Foreign Students Package 2 1. Malarial Parasite 2. Hepatitis B Screening Profile 3. Hepatitis C Ab 4. HIV Ag/Ab Combo Screening 5. Opiates Screening 6. Cannabinoid Screening 7. Amphetamine Screening 8. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	2 working days
FSP3	Foreign Students Package 3 1. Malarial Parasite 2. Hepatitis B Screening Profile 3. Hepatitis C Ab 4. HIV Ag/Ab Combo Screening 5. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
FSP4	Foreign Students Package 4 1. Hepatitis B Screening Profile 2. Hepatitis C Ab 3. HIV Ag/Ab Combo Screening 4. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow)	2 working days
FSP5	Foreign Students Package 5 1. Hepatitis B Screening Profile 2. Hepatitis C Ab 3. HIV Ag/Ab Combo Screening 4. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 5. Cannabinoid Screening 6. Urine Analysis	1 x 3.5mL SST (Yellow) 50mL Urine (Midstream Urine)	2 working days

Profile Package: Allergy Profiles

Code	Test Name	Sample Requirement	Lab Turnaround time (LTAT)
AL36	36 Allergy Test Panel	1 x 3.5mL SST (Yellow)	Please call to gen lab/ sales rep

	Total IgE		<u>6 Mould Allergens</u>
	<u>19 Food Allergens</u>	M1	<i>Penicillium</i>
		M2	<i>Cladosporium</i>
F1	Egg White	M3	<i>Aspergillus</i>
F2	Cow's Milk	M4	Mucor
F3	Codfish	M5	<i>Candida</i>
F4	Wheat	M6	<i>Alternaria</i>
F9	White Rice		
F10	Sesame Seed		<u>2 Grass Allergens</u>
F13	Peanut		
F14	Soybean	G2	Bermuda Grass
F23	Crab	G6	Timothy Grass
F24	Shrimp		
F27	Beef		<u>2 Pet Allergens</u>
F33	Orange	E1	Cat Dander
F40	Tuna	E5	Dog Dander
F41	Salmon		
F75	Egg Yolk		<u>5 Inhalant Allergens</u>
F83	Chicken	D1	<i>Dermatophagoides pteronyssinus</i>
F92	Banana	D2	<i>Dermatophagoides farinae</i>
F93	Chocolate	D201	<i>Blomia tropicalis</i>
F207	Calm		
	<u>Latex Allergen</u>	I6/I206	Cockroach Mix
		H2	House dust
K82	Latex		

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
AL54	54 Allergy Test Panel	1 x 3.5mL SST (Yellow)	3 working days

	Total IgE		<u>1 Weed/ Tree Pollen Allergen</u>
	<u>35 Food Allergens</u>	T19	Acacia
F1	Egg White		<u>5 Mould Allergens</u>
F2	Cow's Milk		
F3	Codfish	MMX	Mould Mix
F4	Wheat	M1	• <i>Penicillium</i>
F13	Peanut	M2	• <i>Cladosporium</i>
F14	Soybean	M3	• <i>Aspergillus</i>
F17	Hazelnut	M6	• <i>Alternaria</i>
F20	Almond		
F23	Crab	M5	<i>Candida</i>
F24	Shrimp		
F25	Tomato		<u>4 Grass Allergens</u>
F26	Pork	GS1	Grass Mix 5
F27	Beef	G1	• Sweet vernal grass
F40	Tuna	G2	• Bermuda Grass
F41	Salmon	G6	• Timothy Grass
F44	Strawberry	G12	• Rye cultivated
F45	Baker's Yeast		<u>15 Dander & Other Allergens</u>
F47	Garlic		
F74	Coffee		
F76	nBos d4-Alpha-lactalbumin (Cow's milk)	E1	Cat Dander
F77	nBos d5-Beta-lactoglobulin (Cow's milk)	E2/E5	Dog Dander
F78	nBos d8-Casein (Cow's milk)	E5	Horse Dander
F79	Gluten		
F80	Lobster	ES2	Feather Mix 1
F81	Cheddar Cheese	E85	• Chicken Feathers
F83	Chicken	E86	• Duck Feathers
F84	Kiwi	E111	• Goose
F88	Mutton	I6	• Cockroach, German
F105	Chocolate		
F157	Duck Meat	D1	<i>Dermatophagoides pteronyssinus</i>
F336	Glutamate	D2	<i>Dermatophagoides farinae</i>
		D4	<i>Dermatophagoides microceras</i>
FS10	Shellfish Mix 1	D72	<i>Tyrophagus putrescentiae</i>
F71	• Spiny lobster	D73	<i>Glycyphagus domesticus</i>
F177	• Oyster	D201	<i>Blomia tropicalis</i>
F324	• Clam		
T223	Oil Palm	K82	Latex
		U134	Kapok

Profile Package: Anti-Ageing Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
AG1F	Anti-Ageing Female Profile 1 1. Full Blood Count 2. Blood Film Comment 3. Liver Profile 4. Lipid Profile 5. Renal Profile 1 (with Glucose) 6. Iron 7. HBA1c 8. hs-CRP 9. Homocysteine 10. Thyroid Profile 11. Estradiol (E2) 12. Follicle-stimulating Hormone (FSH) 13. Luteinizing Hormone (LH) 14. Progesterone (P4) 15. Testosterone 16. Sex Hormone Binding Globulin (SHBG) 17. Free Androgen Index (FAI) 18. DHEAS 19. Adrenocorticotrophic Hormone (ACTH) 20. Insulin Growth Factor-1 (IGF-1) 21. Cortisol 22. Insulin 23. Vitamin D 24. AFP 25. CEA 26. CA 125 27. CA 15-3 28. CA 19-9 29. Urine Analysis	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 to 14 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
AG1M	Anti-Ageing Male Profile 1 - Full Blood Count - Blood Film Comment - Liver Profile - Lipid Profile - Renal Profile 1 (with Glucose) - Iron - HBA1c - hs-CRP - Homocysteine - Thyroid Profile - Estradiol (E2) - Follicle-stimulating Hormone (FSH) - Luteinizing Hormone (LH) - Progesterone (P4) - Testosterone - Sex Hormone Binding Globulin (SHBG) - Free Androgen Index (FAI) - DHEAS - Adrenocorticotrophic Hormone (ACTH) - Insulin Growth Factor-1 (IGF-1) - Cortisol - Insulin - Vitamin D - AFP - CEA - Total PSA - CA19-9 - Urine Analysis	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 to 14 working days
AG2F	Anti-Ageing Female Profile 2 - Full Blood Count - Erythrocytes Sedimentation Rate (ESR) - Blood Film Comment - Liver Profile - Lipid Profile - Renal Profile 1 (with Glucose) - Iron - HBA1c - hs-CRP - Homocysteine - Thyroid Profile - Estradiol (E2) - Follicle-stimulating Hormone (FSH) - Luteinizing Hormone (LH) - Progesterone (P4) - Testosterone - Sex Hormone Binding Globulin (SHBG) - Free Androgen Index (FAI) - DHEAS - Adrenocorticotrophic Hormone (ACTH) - Insulin Growth Factor-1 (IGF-1) - Cortisol - Insulin - Vitamin D - AFP - CEA - CA 125 - CA 15-3 - CA19-9 - Urine Analysis	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 to 14 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
AG2M	Anti-Ageing Male Profile 2 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Liver Profile 5. Lipid Profile 6. Renal Profile 1 (with Glucose) 7. Iron 8. HBA1c 9. hs-CRP 10. Homocysteine 11. Thyroid Profile 12. Estradiol (E2) 13. Follicle-stimulating Hormone (FSH) 14. Luteinizing Hormone (LH) 15. Progesterone 16. Testosterone 17. Sex Hormone Binding Globulin (SHBG) 18. Free Androgen Index (FAI) 19. DHEAS 20. Adrenocorticotrophic Hormone (ACTH) 21. Insulin Growth Factor-1 (IGF-1) 22. Cortisol 23. Insulin 24. Vitamin D 25. AFP 26. CEA 27. Total PSA 28. CA 19-9 29. Urine Analysis	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 to 14 working days
AG3F	Anti-Ageing Female Profile 3 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Liver Profile 6. Lipid Profile 7. Renal Profile 1 (with Glucose) 8. Thyroid Stimulating Hormone (TSH) 9. Rheumatoid Factor (RF) 10. Estradiol (E2) 11. Follicle-stimulating Hormone (FSH) 12. Luteinizing Hormone (LH) 13. DHEAS 14. Insulin Growth Factor-1 (IGF-1) 15. Insulin 16. AFP 17. CEA 18. CA 125 19. CA 15-3 20. CA 19-9 21. Hepatitis B Screening Profile 22. Hepatitis A IgG 23. HIV Ag/Ab Combo Screening 24. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 25. Urine Analysis	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
AG3M	Anti-Ageing Male Profile 3 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Blood Grouping & Rhesus Typing 5. Renal Profile 1 (with Glucose) 6. Liver Profile 7. Lipid Profile 8. Thyroid Stimulating Hormone (TSH) 9. Rheumatoid Factor (RF) 10. Testosterone 11. DHEAS 12. Insulin Growth Factor-1 (IGF-1) 13. Insulin 14. AFP 15. CEA 16. Total PSA 17. CA 19-9 18. Hepatitis B Screening Profile 19. Hepatitis A IgG 20. HIV Ag/Ab Combo Screening 21. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 22. Urine Analysis	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) Applicable for tag on tests	5 working days
AG4F	Anti-Ageing Female Profile 4 1. Free T3 2. Cortisol 3. Estradiol (E2) 4. Progesterone (P4) 5. Testosterone (Free) 6. DHEAS 7. Insulin Growth Factor-1 (IGF-1) 8. Insulin	2 x 3.5mL SST (Yellow)	5 working days
AG4M	Anti-Ageing Male Profile 4 1. Free T3 2. Cortisol 3. Estradiol (E2) 4. Testosterone (Free) 5. DHEAS 6. Insulin Growth Factor-1 (IGF-1) 7. Insulin	2 x 3.5mL SST (Yellow)	5 working days
AG5F	Anti-Ageing Female Profile 5 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Lipid Profile 4. Thyroid Profile 5. Estradiol (E2) 6. Follicle-stimulating Hormone (FSH) 7. Progesterone (P4) 8. Testosterone 9. Testosterone (Free) 10. Sex Hormone Binding Globulin (SHBG) 11. DHEAS 12. Insulin Growth Factor-1 (IGF-1) 13. Insulin	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	5 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
AG5M	Anti-Ageing Male Profile 5 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Lipid Profile 4. Thyroid Profile 5. Estradiol (E2) 6. Progesterone (P4) 7. Testosterone 8. Testosterone (Free) 9. Sex Hormone Binding Globulin (SHBG) 10. DHEAS 11. Insulin Growth Factor-1 (IGF-1) 12. Insulin 13. Total PSA	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	5 working days

Profile Package: Cardiac Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
CETRO	Cardiac Enzymes Profile (with hs-Trop I) 1. ALT 2. AST 3. CKMB 4. CPK 5. LDH 6. hs-Troponin I with Risk Stratification	1 x 3.5mL SST (Yellow), 1 x 3mL Heparin (Green)	6 hours
CSP	Cardiac Screening Profile 1. Lipid Profile 2. hs-Troponin I with Risk Stratification 3. hs-CRP 4. Homocysteine	1 x 3.5mL SST (Yellow), 1 x 3mL Heparin (Green)	1 working day
CRSA	Cardiovascular Risk & Stroke Assessment 1. Lipid Profile 2. hs-Troponin I with Risk Stratification 3. NT-ProBNP 4. Cystatin C, with eGFR 5. hs-CRP 6. Homocysteine 7. Apolipoprotein A1 8. Apolipoprotein B 9. ApoB/Apo A1 ratio 10. Lipoprotein (a)	2 x 3.5mL SST (Yellow), 1 x 3mL Heparin (Green)	6 working days
CSP1	Coronary Risk Factor 1 1. hs-Troponin I with Risk Stratification 2. Cystatin C, with eGFR 3. hs-CRP 4. Homocysteine 5. Apolipoprotein A1 6. Apolipoprotein B 7. ApoB/Apo A1 ratio 8. Lipoprotein (a)	2 x 3.5mL SST (Yellow), 1 x 3mL Heparin (Green)	6 working days
CSP2	Coronary Risk Factor 2 1. Lipid Profile 2. hs-CRP 3. Homocysteine	1 x 3.5mL SST (Yellow)	3 working days
CSP3	Coronary Risk Factor 3 1. Apolipoprotein A1 2. Apolipoprotein B 3. ApoB/Apo A1 ratio 4. Lipoprotein (a)	2 x 3.5mL SST (Yellow)	6 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
CSP4	Coronary Risk Factor 4 1. Lipid Profile 2. Apolipoprotein A1 3. Apolipoprotein B 4. ApoB/Apo A1 ratio 5. Lipoprotein (a)	2 x 3.5mL SST (Yellow)	6 working days
CSP5	Coronary Risk Factor 5 1. Lipid Profile 2. hs-CRP 3. Homocysteine 4. Apolipoprotein A1 5. Apolipoprotein B 6. ApoB/Apo A1 ratio 7. Lipoprotein (a)	2 x 3.5mL SST (Yellow)	6 working days
CSP6	Coronary Risk Factor 6 1. hs-CRP 2. Homocysteine 3. Apolipoprotein A1 4. Apolipoprotein B 5. ApoB/Apo A1 ratio 6. Lipoprotein (a)	2 x 3.5mL SST (Yellow)	6 working days
CSP7	Coronary Risk Factor 7 1. Lipid Profile 2. hs-CRP	1 x 3.5mL SST (Yellow)	2 working days
CSP8	Coronary Risk Factor 8 1. Lipid Profile 2. hs-Troponin I with Risk Stratification 3. hs-CRP	1 x 3.5mL SST (Yellow) 1 x 3mL Lithium Heparin (Green)	2 working days
CRM	Cardiovascular Risk Markers 1. hs-Troponin I with Risk Stratification 2. NT-ProBNP 3. hs-CRP	1 x 3.5mL SST (Yellow) 1 x 3mL Lithium Heparin (Green)	2 working days
HTP	Hypertensive Profile 1. Lipid Profile 2. Renal Profile 1 (with Glucose) 3. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine)	2 working days
LIP	Lipid Profile 1. Total Cholesterol 2. HDL- Cholesterol 3. Triglyceride 4. LDL- Cholesterol 5. Non-HDL Cholesterol 6. Total Cholesterol/HDL Ratio	1 x 3.5mL SST (Yellow)	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
LIPG	Lipid Profile (with Glucose) 1. Total Cholesterol 2. HDL- Cholesterol 3. Triglyceride 4. LDL- Cholesterol 5. Non-HDL Cholesterol 6. Total Cholesterol/HDL Ratio 7. Glucose	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey)	2 working days

Profile Package: Fertility & Endocrine Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
AMS1	Amenorrhoea Studies 1 1. Estradiol (E2) 2. Follicular Stimulating Hormone (FSH) 3. Luteinizing Hormone (LH) 4. Prolactin 5. Free T4	1 x 3.5mL SST (Yellow)	3 working days
AMS2	Amenorrhoea Studies 2 1. Estradiol (E2) 2. Follicular Stimulating Hormone (FSH) 3. Luteinizing Hormone (LH) 4. Prolactin 5. Thyroid Stimulating Hormone (TSH)	1 x 3.5mL SST (Yellow)	3 working days
AMS3	Amenorrhoea Studies 3 1. Follicular Stimulating Hormone (FSH) 2. Luteinizing Hormone (LH) 3. Prolactin 4. Testosterone 5. Thyroid Stimulating Hormone (TSH)	1 x 3.5mL SST (Yellow)	3 working days
FERTP	Fertility Profile 1. Estradiol (E2) 2. Follicular Stimulating Hormone (FSH) 3. Luteinizing Hormone (LH) 4. Progesterone (P4) 5. Thyroid Stimulating Hormone (TSH)	1 x 3.5mL SST (Yellow)	3 working days
INFE1	Infertility Profile 1 1. Estradiol (E2) 2. Follicular Stimulating Hormone (FSH) 3. Luteinizing Hormone (LH) 4. Prolactin 5. Progesterone (P4) 6. Beta-HCG	1 x 3.5mL SST (Yellow)	3 working days
INFE2	Infertility Profile 2 1. Estradiol (E2) 2. Follicular Stimulating Hormone (FSH) 3. Luteinizing Hormone (LH) 4. Prolactin 5. Progesterone (P4) 6. Testosterone	1 x 3.5mL SST (Yellow)	3 working days
INFE3	Infertility Profiles 3 1. Follicular Stimulating Hormone (FSH) 2. Luteinizing Hormone (LH) 3. Prolactin 4. Testosterone	1 x 3.5mL SST (Yellow)	3 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
INFE4	Infertility Profiles 4 1. Estradiol (E2) 2. Follicular Stimulating Hormone (FSH) 3. Luteinizing Hormone (LH) 4. Progesterone (P4)	1 x 3.5mL SST (Yellow)	3 working days
INFEM	Infertility Studies (Male) 1. Follicular Stimulating Hormone (FSH) 2. Luteinizing Hormone (LH) 3. Prolactin 4. Testosterone 5. Sex Hormone Binding Globulin (SHBG)	1 x 3.5mL SST (Yellow)	3 working days
MHS1	Male Hormone Studies 1 1. Testosterone 2. Sex Hormone Binding Globulin (SHBG) 3. Free Androgen Index (FAI)	1 x 3.5mL SST (Yellow)	3 working days
AND1	Andropause Studies 1 1. Follicular Stimulating Hormone (FSH) 2. Luteinizing Hormone (LH) 3. Prolactin 4. Testosterone 5. Sex Hormone Binding Globulin (SHBG) 6. Thyroid Stimulating Hormone (TSH)	1 x 3.5mL SST (Yellow)	3 working days
MS1	Menopausal Screen 1 1. Estradiol (E2) 2. Follicular Stimulating Hormone (FSH) 3. Luteinizing Hormone (LH)	1 x 3.5mL SST (Yellow)	3 working days
FPP	Female Pituitary Profile 1. Cortisol 2. Estradiol (E2) 3. Thyroid Stimulating Hormone (TSH) 4. Free T3 5. Free T4 6. Follicular Stimulating Hormone (FSH) 7. Insulin Growth Factor-1 (IGF-1) 8. Luteinizing Hormone (LH) 9. Prolactin	2 x 3.5mL SST (Yellow)	3 to 5 working days
MPP	Male Pituitary Profile 1. Cortisol 2. Thyroid Stimulating Hormone (TSH) 3. Free T3 4. Free T4 5. Follicular Stimulating Hormone (FSH) 6. Insulin Growth Factor-1 (IGF-1) 7. Luteinizing Hormone (LH) 8. Prolactin 9. Testosterone	2 x 3.5mL SST (Yellow)	3 to 5 working days
TFT	Thyroid Profile (TFT) 1. Free T3 2. Free T4 3. Thyroid Stimulating Hormone (TSH)	1 x 3.5mL SST (Yellow)	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
TS4	Thyroid TSH/FT4 1. Free T4 2. Thyroid Stimulating Hormone (TSH)	1 x 3.5mL SST (Yellow)	2 working days
TS3	Thyroid TSH/FT3 1. Free T3 2. Thyroid Stimulating Hormone (TSH)	1 x 3.5mL SST (Yellow)	2 working days

Profile Package: Haematology Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
FBC	Full Blood Count 1. Red Blood Cell 2. Haemoglobin 3. PCV 4. MCV 5. MCH 6. MCHC 7. RDW-CV 8. Platelet 9. White Blood Cell 10. Neutrophil % & Count 11. Lymphocytes % & Count 12. Monocytes % & Count 13. Eosinophils % & Count 14. Basophils % & Count	1 x 3mL EDTA (Purple)	1 working day
FBP	Full Blood Picture 1. Erythrocytes Sedimentation Rate (ESR) 2. Full Blood Count 3. Blood Film Comment 4. Reticulocyte Count	2 x 3mL EDTA (Purple)	7 working days
HBEP	Hb Electrophoresis 1. HbA2 2. HbF 3. HbH 4. Red Cell Count & Indices	1 x 3mL EDTA (Purple)	Please call to gen lab/ sales rep
THAL	Thalassemia Screen (No Ferritin) 1. HbA2 2. HbF 3. HbH 4. Red Cell Count & Indices 5. Comments and Interpretation by Consultant Haematologist	2 x 3mL EDTA (Purple)	Please call to gen lab/ sales rep
THALF	Thalassemia Screen (With Ferritin) 1. Ferritin 2. HbA2 3. HbF 4. HbH 5. Red Cell Count & Indices 6. Comments and Interpretation by Consultant Haematologist	2 x 3mL EDTA (Purple) 1 x 3.5mL SST (Yellow)	Please call to gen lab/ sales rep

Profile Package: Febrile & Infectious Disease Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
DENP	Dengue Profile 1. Dengue Serology 2. Dengue NS1 Antigen 3. Full Blood Count	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	1 working day
DENP2	Dengue Profile 2 1. Dengue Serology 2. Dengue NS1 Antigen	1 x 3mL EDTA (Purple) or 1 x 3.5mL SST (Yellow)	1 working day
FFEP1	Febrile Fever Profile 1 1. C-Reactive Protein (CRP) 2. Full Blood Count 3. Malarial Parasite 4. Dengue NS1 Antigen 5. Leptospirosis Ab 6. <i>Mycoplasma pneumoniae</i> IgM 7. <i>Salmonella typhi</i> IgG & IgM (Rapid Test) 8. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	1 working day
FFEP2	Febrile Fever Profile 2 1. C-Reactive Protein (CRP) 2. Renal Profile 2 3. Liver Profile 4. Full Blood Count 5. Malarial Parasite 6. Dengue NS1 Antigen 7. Leptospirosis Ab 8. <i>Mycoplasma pneumoniae</i> IgM 9. <i>Salmonella typhi</i> IgG & IgM (Rapid Test) 10. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	1 working day
PAEF1	Paediatric Febrile Profile 1 1. Full Blood Count 2. C-Reactive Protein (CRP) 3. Renal Profile 2 4. Dengue NS1 Antigen 5. <i>Mycoplasma pneumoniae</i> IgM	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	1 working day
PAEF2	Paediatric Febrile Profile 2 1. Full Blood Count 2. C-Reactive Protein (CRP) 3. Renal Profile 2 4. Dengue NS1 Antigen 5. Influenza A/B Screen (Rapid) 6. <i>Mycoplasma pneumoniae</i> IgM	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x Flu A&B kit (<i>Please ring the lab to collect the collection kit</i>)	1 working day

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
HEPSC	Hepatitis B Screening Profile 1. Hepatitis Bs Antigen 2. Hepatitis Bs Antibody	1 x 3.5mL SST (Yellow)	1 working day
TORCH	TORCHES Profile (IgG & IgM) 1. CMV IgG 2. CMV IgM 3. HSV 1 & 2 IgG 4. HSV 1 & 2 IgM 5. Rubella IgG 6. Rubella IgM 7. Toxoplasma IgG 8. Toxoplasma IgM	1 x 3.5mL SST (Yellow)	3 working days

Profile Package: Nephrology & Dialysis Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
RP1	Renal Profile 1 1. Total Protein 2. Albumin 3. Globulin 4. Albumin/Globulin ratio 5. Calcium 6. Corrected Calcium 7. Inorganic Phosphate 8. Uric Acid 9. Glucose 10. Sodium 11. Potassium 12. Chloride 13. Creatinine 14. Urea 15. eGFR	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey)	2 working days
RP2	Renal Profile 2 1. Sodium 2. Potassium 3. Chloride 4. Creatinine 5. Urea 6. eGFR	1 x 3.5mL SST (Yellow)	2 working days
RP3	Renal Profile 3 1. Sodium 2. Potassium 3. Chloride 4. Creatinine 5. Urea 6. eGFR 7. Carbon Dioxide (CO ₂) / Bicarbonate Blood	1 x 3.5mL SST (Yellow)	2 working days
REP4	Renal Profile 4 1. Sodium 2. Potassium 3. Chloride 4. Creatinine 5. Urea 6. Creatinine, eGFR 7. Carbon Dioxide (CO ₂) / Bicarbonate Blood 8. Cystatin C 9. Cystatin C, eGFR	1 x 3.5mL SST (Yellow)	2 working days
RP5	Renal Profile 5 (Follow up) 1. Renal Profile 1 (with Glucose) 2. Creatinine Clearance 3. Protein, Urine 24 hours 4. Phosphate, Urine 24 hours 5. Calcium, Urine 24 hours	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 1 x 24 hours urine	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
RP6	Renal Profile 6 (Complete) 1. Renal Profile 1 (with Glucose) 2. Carbon Dioxide (CO₂) / Bicarbonate Blood 3. Cystatin C 4. Cystatin C, eGFR 5. Urine NGAL	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine)	2 working days
DIAP1	Dialysis Profile 1 (Full for Diabetes Mellitus) 1. Full Blood Count 2. Renal Profile 1 (with Glucose) 3. Corrected Calcium 4. Liver Profile 5. Lipid Profile 6. Post Urea 7. Iron Studies 8. HBA1c 9. Urea Reduction Ratio 10. Intact Parathyroid Hormone (iPTH) 11. Hepatitis B Screening Profile 12. Hepatitis C Ab 13. HIV Ag/Ab Combo Screening 14. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey)	2 working days
DIAP2	Dialysis Profile 2 1. Full Blood Count 2. Renal Profile 1 (with Glucose) 3. Corrected Calcium 4. Liver Profile 5. Lipid Profile 6. Post Urea 7. Iron Studies 8. HBA1c 9. Urea Reduction Ratio 10. Hepatitis B Screening Profile 11. Hepatitis C Ab 12. HIV Ag/Ab Combo Screening 13. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey)	2 working days
DIAP3	Dialysis Profile 3 (Full for Non-Diabetes Mellitus) 1. Full Blood Count 2. Renal Profile 1 (with Glucose) 3. Corrected Calcium 4. Liver Profile 5. Lipid Profile 6. Post Urea 7. Iron Studies 8. Urea Reduction Ratio 9. Intact Parathyroid Hormone (iPTH) 10. Hepatitis B Screening Profile 11. Hepatitis C Ab 12. HIV Ag/Ab Combo Screening 13. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey)	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
DIAP4	Dialysis Profile 4 1. Full Blood Count 2. Renal Profile 1 (with Glucose) 3. Corrected Calcium 4. Liver Profile 5. Lipid Profile 6. Post Urea 7. Iron Studies 8. Urea Reduction Ratio 9. Hepatitis B Screening Profile 10. Hepatitis C Ab 11. HIV Ag/Ab Combo Screening 12. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey)	2 working days
DPP3M	Dialysis Profile 5 (3 Monthly) 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Renal Profile 1 (with Glucose) 5. Corrected Calcium 6. Liver Profile 7. Lipid Profile 8. Post Urea 9. Iron Studies 10. Ferritin 11. HBA1c 12. Urea Reduction Ratio 13. Intact Parathyroid Hormone (iPTH)	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey)	2 working days
DPP6M	Dialysis Profile 6 (6 Monthly) 1. Full Blood Count 2. Erythrocytes Sedimentation Rate (ESR) 3. Blood Film Comment 4. Renal Profile 1 (with Glucose) 5. Corrected Calcium 6. Liver Profile 7. Lipid Profile 8. Post Urea 9. Iron Studies 10. Ferritin 11. HBA1c 12. Urea Reduction Ratio 13. Intact Parathyroid Hormone (iPTH) 14. Hepatitis B Screening Profile 15. Hepatitis C Ab 16. HIV Ag/Ab Combo Screening 17. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey)	2 working days
DPPM	Dialysis Profile (Monthly) 1. Full Blood Count 2. Pre-Urea 3. Post-Urea 4. Ferritin	2 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	2 working days

Profile Package: Oncology Screening Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
FTM	Female Tumour Markers 1 1. AFP 2. CEA 3. CA 125 4. CA 15-3 5. CA 19-9	1 x 3.5mL SST (Yellow)	2 working days
FTM2	Female Tumour Markers 2 1. AFP 2. CEA 3. CA 125 4. CA 15-3 5. CA 19-9 6. Beta-HCG	1 x 3.5mL SST (Yellow)	2 working days
FTM3	Female Tumour Markers 3 1. AFP 2. CEA 3. CA 125 4. CA 15-3 5. CA 19-9 6. CA 72-4 7. EBV VCA IgA	1 x 3.5mL SST (Yellow)	5 working days
FTM4	Female Tumour Markers 4 1. AFP 2. CEA 3. CA 125 4. CA 15-3 5. CA 19-9 6. CA 72-4 7. Beta-HCG 8. EBV VCA IgA	1 x 3.5mL SST (Yellow)	5 working days
MTM	Male Tumour Markers 1 1. AFP 2. CEA 3. CA 15-3 4. CA 19-9 5. Total PSA	1 x 3.5mL SST (Yellow)	2 working days
MTM2	Male Tumour Markers 2 1. AFP 2. CEA 3. CA 19-9 4. Total PSA 5. Beta-HCG	1 x 3.5mL SST (Yellow)	2 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
MTM3	Male Tumour Markers 3 1. AFP 2. CEA 3. CA 19-9 4. Total PSA 5. CA 72-4 6. EBV VCA IgA	1 x 3.5mL SST (Yellow)	5 working days
MTM4	Male Tumour Markers 4 1. AFP 2. CEA 3. CA 19-9 4. Total PSA 5. CA 72-4 6. Beta-HCG 7. EBV VCA IgA	1 x 3.5mL SST (Yellow)	5 working days
MTM5	Male Tumour Markers 5 1. AFP 2. CEA 3. CA 19-9 4. Total PSA	1 x 3.5mL SST (Yellow)	5 working days
LCM1	Lung Cancer Markers 1 1. CEA 2. Progastrin-releasing peptide (ProGRP) 3. Neuron-specific enolase (NSE) 4. CYFRA 21-1	2 x 3.5mL SST (Yellow)	7 to 14 working days
LCM2	Lung Cancer Markers 2 1. CEA 2. Progastrin-releasing peptide (ProGRP) 3. Neuron-specific enolase (NSE) 4. CYFRA 21-1 5. Squamous Cell Carcinoma Antigen (SCC Ag)	2 x 3.5mL SST (Yellow)	7 to 14 working days
LCM3	Lung Cancer Markers 3 1. Progastrin-releasing peptide (ProGRP) 2. Neuron-specific enolase (NSE) 3. CYFRA 21-1 4. Squamous Cell Carcinoma Antigen (SCC Ag)	2 x 3.5mL SST (Yellow)	7 to 14 working days

Profile Package: Obstetrics & Gynaecology Profiles

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
ANSP1	Antenatal Screening Profile 1 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Hepatitis B Screening Profile 4. Rubella IgG 5. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 6. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	3 working days
ANSP2	Antenatal Screening Profile 2 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Hepatitis Bs Ag 4. Rubella IgG 5. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 6. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	3 working days
ANSP3	Antenatal Screening Profile 3 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Hepatitis B Screening Profile 4. HIV Ag/Ab Combo Screening 5. Rubella IgG 6. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 7. Urine Analysis	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	3 working days
ANSP4	Antenatal Screening Profile 4 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Hepatitis B Screening Profile 4. HIV Ag/Ab Combo Screening 5. Rubella IgG 6. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	3 working days
ANSP5	Antenatal Screening Profile 5 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Hepatitis B Screening Profile 4. HIV Ag/Ab Combo Screening 5. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	3 working days

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
ANSP6	Antenatal Screening Profile 6 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. HIV Ag/Ab Combo Screening 4. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 5. Urine Analysis 6. Folic Acid	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	3 working days
ANSP7	Antenatal Screening Profile 7 1. Full Blood Count 2. Blood Grouping & Rhesus Typing 3. Hepatitis B Screening Profile 4. HIV Ag/Ab Combo Screening 5. Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) 6. Urine Analysis 7. Folic Acid	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple) 50mL Urine (Midstream Urine)	3 working days

Profile Package: Sexually Transmitted Disease Profiles

Code	Test Name	Sample Requirements	Lab Turnaround Time (LTAT)
STDP1	STD Profile 1 1. HIV Ag/Ab Combo Screening 2. Syphilis Screening (TP) 3. Syphilis Screening (RPR) 4. <i>Chlamydia trachomatis</i> IgG	1 x 3.5mL SST (Yellow)	3 working days
STDP2	STD Profile 2 1. HIV Ag/Ab Combo Screening 2. Hepatitis Bs Ag 3. Hepatitis C Ab 4. Syphilis Screening (TP) 5. Syphilis Screening (RPR) 6. <i>Chlamydia trachomatis</i> IgG	1 x 3.5mL SST (Yellow)	3 working days
STDP3	STD Profile 3 1. General Screening Profile Regular 8 (GSPR8) 2. Sexually Transmitted Infections Panel- Essential Screening Panel (STI-7)	For GSPR8 2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) For STI-7 Genital swab (urethral, vaginal, rectal, and cervical) or 5mL Urine (First Void Urine) or Liquid based cytology specimen (e.g., Thin Prep and Sure Path) Applicable for tag on tests	2 working days 3 working days

Code	Test Name	Sample Requirements	Lab Turnaround Time (LTAT)
STDP4	STD Profile 4 - General Screening Profile - Regular 1 (GSPR1) - Herpes Simplex Virus 1 IgG - Herpes Simplex Virus 2 IgG - Sexually Transmitted Infections Panel- Basic Screening Panel (STI-2)	For GSPR1 2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) For STI-2 Genital swab (urethral, vaginal, rectal, and cervical) or 5mL Urine (First Void Urine) or Liquid based cytology specimen (e.g., Thin Prep and Sure Path) Applicable for tag on tests	2 working days 3 working days
STDP5	STD Profile 5 - General Screening Profile - Regular 1 (GSPR1) - Herpes Simplex Virus 1 IgG - Herpes Simplex Virus 2 IgG - Sexually Transmitted Infections Panel- Essential Screening Panel (STI-7)	For GSPR1 2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) For STI-7 Genital swab (urethral, vaginal, rectal, and cervical) or 5mL Urine (First Void Urine) or Liquid based cytology specimen (e.g., Thin Prep and Sure Path) Applicable for tag on tests	2 working days 3 working days
STDP6	STD Profile 6 - General Screening Profile - Regular 1 (GSPR1) - Herpes Simplex Virus 1 IgG - Herpes Simplex Virus 2 IgG - Sexually Transmitted Infections Panel- Genital Ulcer Screening Panel (GU)	For GSPR1 2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) For GU Genital swab (urethral, vaginal, rectal, and cervical) or 5mL Urine (First Void Urine) or Liquid based cytology specimen (e.g., Thin Prep and Sure Path) Applicable for tag on tests	2 working days 3 working days

Code	Test Name	Sample Requirements	Lab Turnaround Time (LTAT)
STDP7	STD Profile 7 - General Screening Profile - Regular 1 (GSPR1) - Herpes Simplex Virus 1 IgG - Herpes Simplex Virus 2 IgG - Sexually Transmitted Infection Panel- Combo Panel (STI-14) -STI7&GU	For GSPR1 2 x 3.5mL SST (Yellow) 2 x 3mL EDTA (Purple) 1 x 3mL Fluoride (Grey) 50mL Urine (Midstream Urine) For STI-14 Genital swab (urethral, vaginal, rectal, and cervical) or 5mL Urine (First Void Urine) or Liquid based cytology specimen (e.g., Thin Prep and Sure Path) Applicable for tag on tests	2 working days 3 working days
STDP8	STD Profile 8 - HIV Ag/Ab Combo Screening - Hepatitis Bs Ag - Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) - Blood Grouping & Rhesus Typing	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	3 working days
STDP9	STD Profile 9 - HIV Ag/Ab Combo Screening - Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) - Herpes Simplex Virus 1 IgG - Herpes Simplex Virus 2 IgG <i>Chlamydia trachomatis</i> IgG	1 x 3.5mL SST (Yellow)ucl	3 working days
STD10	STD Profile 10 - Hepatitis B Screening Profile - HIV Ag/Ab Combo Screening - Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR) - Herpes Simplex Virus 1 IgG - Herpes Simplex Virus 2 IgG <i>Chlamydia trachomatis</i> IgG	1 x 3.5mL SST (Yellow)	3 working days
TTR2	Syphilis Screening Profile 2 - Syphilis Screening (RPR) - Syphilis Screening (STP)	1 x 3.5mL SST (Yellow)	1 working day

Tag-On Test List

(Only applicable when a Selected Screening Profile is ordered. Please refer to the profile listing. Refer Single Tests & Referral Tests section for LTAT)

Code	Test Name	Sample Requirement
Hematology & Anemia		
IRST	Iron Studies	
	1. Iron	1 x 3.5mL SST (Yellow)
	2. Total Iron Binding Capacity (TIBC)	
	3. %Saturation, Transferrin	
FER	Ferritin	1 x 3.5mL SST (Yellow)
BGR	Blood Grouping & Rhesus Typing	1 x 3mL EDTA (Purple)
HBEP	Hb Electrophoresis	1 x 3mL EDTA (Purple)
Renal Functions & Metabolic		
ACR	Urine Albumin/Creatinine Ratio (ACR)	1 x 50mL Urine (Midstream/ Random)
CYSC	Cystatin C with eGFR	1 x 3.5mL SST (Yellow)
A1c	HBA1c	1 x 3mL EDTA (Purple)
NGAL	Urine NGAL	1 x 50mL Urine (Midstream/ Random)
Cardiovascular Risks & Inflammation Markers		
ESR	Erythrocytes Sedimentation Rate (ESR)	1 x 3mL EDTA (Purple)
TROPI	High Sensitivity Trop I (hs-Troponin I) with Risk Stratification	1 x 3mL Lithium Heparin (Green)
GAPO	Apo B & Apo A-1 ratio	1 x 3.5mL SST (Yellow)
HCY	Homocysteine	1 x 3.5mL SST (Yellow)
HSCR	hs C-Reactive Protein (hs CRP)	1 x 3.5mL SST (Yellow)

Code	Test Name	Sample Requirement
Tumour Markers		
AFP	AFP	1 x 3.5mL SST (Yellow)
CEA	CEA	1 x 3.5mL SST (Yellow)
TPSA	PSA Total	1 x 3.5mL SST (Yellow)
CA125	CA 125	1 x 3.5mL SST (Yellow)
CA153	CA 15-3	1 x 3.5mL SST (Yellow)
CA199	CA 19-9	1 x 3.5mL SST (Yellow)
FOB	Faecal Occult Blood (FOB)	1 x Stool
EBVA	EBV VCA IgA	1 x 3.5mL SST (Yellow)
Cytology		
THINP	Liquid Base Pap (Thin Prep)	Thin Prep Collection Kit
PAPS	Pap Smear	2 x Slides
Immunology & Serology		
RF	Rheumatoid Factor (RF)	1 x 3.5mL SST (Yellow)
ACCP	Anti CCP	1 x 3.5mL SST (Yellow)
TPO	Anti-Thyroid Peroxidase	1 x 3.5mL SST (Yellow)
ATG	Anti-Thyroglobulin Abs	1 x 3.5mL SST (Yellow)
ARRF	Blood Grouping, RPR & RF	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)
IRRF	Iron, RPR & RF	1 x 3.5mL SST (Yellow)

Code	Test Name	Sample Requirement
Hormones & Others		
TSH	Thyroid Stimulating Hormone (TSH)	1 x 3.5mL SST (Yellow)
FT4	Free T4	1 x 3.5mL SST (Yellow)
FT3	Free T3	1 x 3.5mL SST (Yellow)
ES2	Estradiol (E2)	1 x 3.5mL SST (Yellow)
PRL	Prolactin (PRL)	1 x 3.5mL SST (Yellow)
FSH	Follicle Stimulating Hormone (FSH)	1 x 3.5mL SST (Yellow)
LH	Luteinizing Hormone (LH)	1 x 3.5mL SST (Yellow)
TESTO	Testosterone	1 x 3.5mL SST (Yellow)
P4	Progesterone (P4)	1 x 3.5mL SST (Yellow)
FTEST	Free Testosterone	1 x 3.5mL SST (Yellow)
FAI	Free Androgen Index	1 x 3.5mL SST (Yellow)
SHBG	Sex Hormone Binding Globulin (SHBG)	1 x 3.5mL SST (Yellow)
DHEA	Dehydroepiandrosterone sulphate (DHEAS)	1 x 3.5mL SST (Yellow)
CORT	Cortisol	1 x 3.5mL SST (Yellow)
INS	Insulin	1 x 3.5mL SST (Yellow)
IGF1	Insulin Growth Factor -1 (IGF-1)	1 x 3.5mL SST (Yellow)
CPEP	C-Peptide	1 x 3.5mL SST (Yellow)
IPTH	Intact Parathyroid Hormone (iPTH)	1 x 3mL EDTA (Purple)
CTX	Beta-Crosslaps (CTX)	1 x 3.5mL SST (Yellow)
VITD	25-OH Vitamin D	1 x 3.5mL SST (Yellow)

Code	Test Name	Sample Requirement
SFOL	Folic Acid	1 x 3.5mL SST (Yellow)
FASTS	LiverFast Select	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) Please provide patient weight and height
STEST	SteatoTEST	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) Please provide patient weight and height
FAST	LiverFAST	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) Please provide patient weight and height
Infectious Diseases		
HEPSC	Hepatitis B Screening Profile 1. Hepatitis B surface Ab 2. Hepatitis B surface Ag	1 x 3.5mL SST (Yellow)
HAVG	Hepatitis A IgG	1 x 3.5mL SST (Yellow)
HIVSC	HIV Ag/Ab Combo Screening	1 x 3.5mL SST (Yellow)
RPR	Syphilis Screening (RPR), if reactive reflex Syphilis Screening (TP)	1 x 3.5mL SST (Yellow)
STP	Syphilis Screening (TP), if reactive reflex Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow)
HBEAB	Hepatitis B envelope Ab	1 x 3.5mL SST (Yellow)
HBEAG	Hepatitis B envelope Ag	1 x 3.5mL SST (Yellow)
HBCG	Hepatitis B core IgG	1 x 3.5mL SST (Yellow)
HBCM	Hepatitis B core IgM	1 x 3.5mL SST (Yellow)
HEPCG	Hepatitis C Ab	1 x 3.5mL SST (Yellow)
HEPEG	Hepatitis E IgG	1 x 3.5mL SST (Yellow)
HEPEM	Hepatitis E IgM	1 x 3.5mL SST (Yellow)
HSV1G	Herpes Simplex Virus 1 IgG	1 x 3.5mL SST (Yellow)
HSV2G	Herpes Simplex Virus 2 IgG	1 x 3.5mL SST (Yellow)

Code	Test Name	Sample Requirement
HPAB	<i>Helicobacter pylori</i> Abs	1 x 3.5mL SST (Yellow)
UB14	Urea Breath Test C14	Special Collection Kit. Please ring the lab.
RUBG	Rubella IgG	1 x 3.5mL SST (Yellow)
Allergy		
IGA	Immunoglobulin A (IgA)	1 x 3.5mL SST (Yellow)
IGM	Immunoglobulin M (IgM)	1 x 3.5mL SST (Yellow)
IGG	Immunoglobulin G (IgG)	1 x 3.5mL SST (Yellow)
IGE	Immunoglobulin E (IgE)	1 x 3.5mL SST (Yellow)
AL54	54 Allergy Test Panel	1 x 3.5mL SST (Yellow)

Single Tests & Referral Tests

Immuno-Hematology

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
BGR	Blood Grouping & Rhesus Typing	1 x 3mL EDTA (Purple)	2 working days

Clinical Chemistry

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
ALB	Albumin	1 x 3.5mL SST (Yellow)	2 working days
ACR	Albumin/Creatinine Ratio (ACR), urine	50mL Urine (Random)	2 working days
FALB	Albumin Fluid	2mL Fluid	2 working days
G24AL	Albumin, 24-hour urine	24 hours Urine	2 working days
UALB	Albumin, urine	50mL Urine (Random)	2 working days
ALCO	Alcohol	1 x 3.5mL SST (Yellow)	CTR
ALDOL	Aldolase	1 x 3.5mL SST (Yellow)	CTR
ALP	Alkaline Phosphatase	1 x 3.5mL SST (Yellow)	2 working days
ALT	ALT	1 x 3.5mL SST (Yellow)	2 working days
CAA	Amino-acids Chromatography (CSF)	CSF 1 x 3mL Lithium Heparin (Plasma)	CTR
PAA	Amino-acids Chromatography (Plasma)	1 x 3mL Lithium Heparin (Plasma)	CTR
UAA	Amino-acids Chromatography (Urine)	50mL Urine (Random) 1 x 3mL Lithium Heparin (Plasma)	CTR
AMY	Amylase	1 x 3.5mL SST (Yellow)	2 working days
FAMY	Amylase (Fluid)	2mL Fluid	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
G24AM	Amylase, 24-hour urine	24 hours Urine	2 working days
UAMY	Amylase, Urine	50mL Urine (Random)	2 working days
APOA1	Apolipoprotein A1	1 x 3.5mL SST (Yellow)	3 working days
APOB	Apolipoprotein B	1 x 3.5mL SST (Yellow)	3 working days
GAPO	Apo B & Apo A-1 ratio	1 x 3.5mL SST (Yellow)	3 working days
AST	AST	1 x 3.5mL SST (Yellow)	2 working days
APRI	AST – Platelet Ratio Index (APRI)	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	2 working days
BILD	Bilirubin Direct	1 x 3.5mL SST (Yellow)	2 working days
GBILI	Bilirubin Indirect	1 x 3.5mL SST (Yellow)	2 working days
BILT	Bilirubin Total	1 x 3.5mL SST (Yellow)	2 working days
CA	Calcium	1 x 3.5mL SST (Yellow)	2 working days
G24CA	Calcium, 24-hour urine	24 hours Urine	2 working days
UCA	Calcium, urine	50mL Urine (Random)	2 working days
CO2	Carbon Dioxide (CO ₂) / Bicarbonate Blood	1 x 3.5mL SST (Yellow)	2 working days
CL	Chloride	1 x 3.5mL SST (Yellow)	2 working days
G24CL	Chloride, 24-hour urine	24 hours Urine	2 working days
UCL	Chloride, urine	50mL Urine (Random)	2 working days
CHOL	Cholesterol	1 x 3.5mL SST (Yellow)	2 working days
CHE	Cholinesterase (Serum)	1 x 3.5mL SST (Yellow)	CTR
CKMB	CKMB	1 x 3.5mL SST (Yellow)	1 working days
CK	CPK	1 x 3.5mL SST (Yellow)	2 working days
CRP	C-Reactive Protein	1 x 3.5mL SST (Yellow)	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
CREA	Creatinine	1 x 3.5mL SST (Yellow)	2 working days
G24CC	Creatinine Clearance, 24-hour urine	24 hours Urine 1 x 3.5mL SST (Yellow)	2 working days
G24CR	Creatinine, 24-hour Urine	24 hours Urine	2 working days
UCREA	Creatinine, urine	50mL Urine (Random)	2 working days
CYSC	Cystatin C with Egfr	1x 3.5mL SST (Yellow)	CTR
GFIB4	Fibrosis-4 (FIB-4)	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	2 working days
FLC	Free Light Chain Assay	1 x 3.5mL SST (Yellow)	CTR
FRUC	Fructosamine	1 x 3.5mL SST (Yellow)	CTR
GGT	GGT	1 x 3.5mL SST (Yellow)	2 working days
GLO	Globulin	1 x 3.5mL SST (Yellow)	2 working days
GLU	Glucose	1 x 3mL Fluoride (Grey)	2 working days
GLUFL	Glucose (Fluid)	2mL Fluid / CSF	2 working days
G24GL	Glucose, 24-hour urine	24 hours Urine	2 working days
UGLU	Glucose, urine	50mL Urine (Random)	2 working days
UGLUF	Glucose, urine (Fasting)	50mL Urine (Random)	2 working days
Mgtt	Glucose Tolerance Test (2 point)	2 x 3mL Fluoride (Grey)	1 working day
A1C	HBA1C	1 x 3mL EDTA (Purple)	2 working days
HDL	HDL – Cholesterol	1 x 3.5mL SST (Yellow)	2 working days
TROPI	High Sensitivity Troponin I (hs-Tropinin I) with Risk Stratification	1 x 3mL Lithium Heparin (Green)	6 hours
HCY	Homocysteine	1 x 3.5mL SST (Yellow)	2 working days
PHOS	Inorganic Phosphate	1 x 3.5mL SST (Yellow)	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
INS	Insulin	1 x 3.5mL SST (Yellow)	5 working days
IRON	Iron	1 x 3.5mL SST (Yellow)	3 working days
LACT	Lactate	1 x 3mL Fluoride (Grey)	2 working days
LDH	LDH	1 x 3.5mL SST (Yellow)	2 working days
LDHFL	LDH Fluid	2mL Fluid	2 working days
LDL	LDL – Cholesterol	1 x 3.5mL SST (Yellow)	2 working days
LIPOA	Lipoprotein (a)	1 x 3.5mL SST (Yellow)	CTR
MAG	Magnesium	1 x 3.5mL SST (Yellow)	2 working days
G24MG	Magnesium, 24-hour urine	24 hours Urine	2 working days
NBILI	Neonatal Bilirubin	0.5mL Micro EDTA (Purple) or 0.5mL Micro SST (Yellow)	2 working days
PBNP	NT-proBNP	1 x 3mL Lithium Heparin (Green)	6 hours
G24OS	Osmolality, 24-hour urine	24 hours Urine	2 working days
GSOSM	Osmolality, serum	1 x 3.5mL SST (Yellow)	2 working days
GUOSM	Osmolality, urine	50mL Urine (Random)	2 working days
G24PH	Phosphorus, 24-hour urine	24 hours Urine	2 working days
K	Potassium	1 x 3.5mL SST (Yellow)	2 working days
G24K	Potassium, 24-hour urine	24 hours Urine	2 working days
UK	Potassium, urine	50mL Urine (Random)	2 working days
PROFL	Protein (Fluid)	2mL Fluid / CSF	2 working days
GPCR	Protein/Creatinine Ratio (PCr), Urine	50mL Urine (Random)	2 working days
G24PR	Protein, 24-hour urine	24 hours Urine	2 working days
UPRO	Protein, urine	50mL Urine (Random)	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
RF	Rheumatoid Factor (RF)	1 x 3.5mL SST (Yellow)	2 working days
NA	Sodium	1 x 3.5mL SST (Yellow)	2 working days
G24NA	Sodium, 24-hour urine	24 hours Urine	2 working days
UNA	Sodium, urine	50mL Urine (Random)	2 working days
TIBC	Total Iron Binding Capacity (TIBC)	1 x 3.5mL SST (Yellow)	2 working days
PROT	Total Protein	1 x 3.5mL SST (Yellow)	2 working days
TRANS	Transferrin, % Saturation	1 x 3.5mL SST (Yellow)	2 working days
TG	Triglycerides	1 x 3.5mL SST (Yellow)	2 working days
UREA	Urea	1 x 3.5mL SST (Yellow)	2 working days
G24UR	Urea, 24-hour urine	24 hours Urine	2 working days
UUREA	Urea, urine	50mL Urine (Random)	2 working days
UA	Uric Acid	1 x 3.5mL SST (Yellow)	2 working days
G24UA	Uric Acid, 24-hour urine	24 hours Urine	2 working days
UUA	Uric Acid, urine	50mL Urine (Random)	2 working days

Fluid and Excretion

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
AFB	AFB Stain	Sputum/ Body Fluid/ Tissue	2 working days
AMP	Amphetamines Screening	50mL Urine (Random)	2 working days
BAR	Barbiturates Screening	50mL Urine (Random)	2 working days
BJP	Bence-Jones protein, urine	50mL Urine (Random), prefer early morning sample	CTR
BZP	Benzodiazepines Screening	50mL Urine (Random)	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
THC	Cannabinoids / Marijuana (THC) Screening	50mL Urine (Random)	2 working days
24CIT	Citrate, 24-hour urine	24 hours Urine	CTR
COC	Cocaine Screening	50mL Urine (Random)	2 working days
COT	Cotinine Screening	50mL Urine (Random)	2 working days
CRYST	Cryptococcus Stain (Indian Ink)	1mL CSF Send sample immediately to laboratory.	2 working days
CSFFE	CSF Full Examination (FEME)	1mL CSF	2 working days
FAEFE	Faeces FEME	Stool	2 working days
FLCRY	Fluid Crystals	1mL Fluid	2 working days
FLUFE	Fluid FEME	1mL Fluid	2 working days
FUNST	Fungal Stain	1mL Fluid / Tissue / Others	2 working days
GM	Gram Stain	1mL Fluid / Tissue / Others	2 working days
HDROP	Hanging Drop for <i>Vibrio cholerae</i>	Stool	2 working days
KETUM	Kratum/ Ketum Screening	50mL Urine (Random)	2 working days
KNEE	Knee Aspirate (FEME)	1mL Knee Aspirate	2 working days
MTD	Methadone Screening	50mL Urine (Random)	2 working days
MMET	Methylenedioxymethamphetamine (Ecstasy)	50mL Urine (Random)	2 working days
MET	Methamphetamine Screening	50mL Urine (Random)	2 working days
MOR	Morphine Screening	50mL Urine (Random)	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
FOB	Faecal Occult Blood	Stool - The following should be avoided in patient's diet: - Red and rare meats, horseradish, raw fruits, broccoli, cauliflower, red radish, cantaloupe, parsnip and turnip. - Dosage of vitamin C greater than 250mg. - Medication such as aspirin, indomethacin, reserpine, phenylbutazone, corticosteroid and nonsteroidal anti-inflammatory drugs. - These drugs should be temporarily discontinued for 7 days prior to and during test period.	2 working days
OPI	Opiates Screening	50mL Urine (Random)	2 working days
PFEME	Peritoneal Fluid (FEME)	1mL Peritoneal Fluid	2 working days
PCP	Phencyclidine (PCP) / Ketamine	50mL Urine (Random)	2 working days
RS	Reducing Substance (Stool / Urine)	50mL Urine (Random) or Stool	CTR
SA	Semen Analysis	Seminal Fluid - Advise patient to abstain from sexual intercourse or masturbation for 3 days prior to collection. - Collect semen into a sterile container and send to laboratory within 1 hour.	2 working days
TRICHO	Trichomonas (Wet Prep)	Swab	2 working days
UFEME	Urine Analysis	50mL Urine (Random)	2 working days
UDSC	Urine for Drug (Opiates & Cannabinoid) Screening	50mL Urine (Random)	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
UDSC1	Urine for Drug (Opiates, Cannabinoid & Amphetamine) Screening	50mL Urine (Random)	2 working days
UPT	Urine Pregnancy Test (HCG)	50mL Urine (Random)	2 working days

Toxicology & Trace Element

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
24HEX	2,5-Hexanedione, 24-hour urine	24 hours Urine	CTR
UHEX	2,5-Hexanedione, urine	50mL Urine (Random)	CTR
24TCA	2-Thioxothiazolidine-4-carboxylic Acid (TTCA), 24-hour urine	24 hours Urine	CTR
UTCA	2-Thioxothiazolidine-4-carboxylic Acid (TTCA), urine	50mL Urine (Random)	CTR
24ACE	Acetone, 24-hour urine	24 hours Urine	CTR
UACE	Acetone, urine	50mL Urine (Random)	CTR
24ALU	Aluminum, 24-hour urine	24 hours Urine	CTR
TALUS	Aluminum, blood	2 x 3mL EDTA (Purple)	CTR
UALU	Aluminum, urine	50mL Urine (Random)	CTR
24ANT	Antimony, 24-hour urine	24 hours Urine	CTR
TANTS	Antimony, blood	2 x 3mL EDTA (Purple)	CTR
UANT	Antimony, urine	50mL Urine (Random)	CTR
24ARS	Arsenic, 24-hour urine	24 hours Urine	CTR
TARSS	Arsenic, blood	2 x 3mL EDTA (Purple)	CTR
UARS	Arsenic, urine	50mL Urine (Random)	CTR
TBARS	Barium, blood	2 x 3mL EDTA (Purple)	CTR
24BER	Beryllium, 24-hour urine	24 hours Urine	CTR
TBERS	Beryllium, blood	2 x 3mL EDTA (Purple)	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
UBER	Beryllium, urine	50mL Urine (Random)	CTR
24CAD	Cadmium, 24-hour urine	24 hours Urine	CTR
TCADS	Cadmium, blood	2 x 3mL EDTA (Purple)	CTR
UCAD	Cadmium, urine	50mL Urine (Random)	CTR
24CHR	Chromium, 24-hour urine	24 hours Urine	CTR
TCHRS	Chromium, blood	2 x 3mL EDTA (Purple)	CTR
UCHR	Chromium, urine	50mL Urine (Random)	CTR
24COL	Cobalt, 24-hour urine	24 hours Urine	CTR
TCOBS	Cobalt, blood	2 x 3mL EDTA (Purple)	CTR
UCOL	Cobalt, urine	50mL Urine (Random)	CTR
24COP	Copper, 24-hour urine	24 hours Urine	CTR
TCOPS	Copper, blood	2 x 3mL EDTA (Purple)	CTR
UCOP	Copper, urine	50mL Urine (Random)	CTR
24DMT	Dichloromethane, 24-hour urine	24 hours Urine	CTR
UDMT	Dichloromethane, urine	50mL Urine (Random)	CTR
24EOH	Ethanol, 24-hour urine	24 hours Urine	CTR
UEOH	Ethanol, urine	50mL Urine (Random)	CTR
24FOR	Formaldehyde, 24-hour urine	24 hours Urine	CTR
UFOLM	Formaldehyde, urine	50mL Urine (Random)	CTR
24HA	Hippuric Acid (HA), 24-hour urine	24 hours Urine	CTR
UHA	Hippuric Acid (HA), urine	50mL Urine (Random)	CTR
24IAR	Inorganic Arsenic, 24-hour urine	24 hours Urine	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
UIARS	Inorganic Arsenic, urine	50mL Urine (Random)	CTR
24PB	Lead, 24-hour urine	24 hours Urine	CTR
TPBS	Lead, blood	2 x 3mL EDTA (Purple)	CTR
UPB	Lead, urine	50mL Urine (Random)	CTR
24LIT	Lithium, 24-hour urine	24 hours Urine	CTR
TLITS	Lithium, blood	2 x 3mL EDTA (Purple)	CTR
ULIT	Lithium, urine	50mL Urine (Random)	CTR
24MAN	Manganese, 24-hour urine	24 hours Urine	CTR
TMANS	Manganese, blood	2 x 3mL EDTA (Purple)	CTR
UMAN	Manganese, urine	50mL Urine (Random)	CTR
24MG	Mercury, 24-hour urine	24 hours Urine	CTR
TMGS	Mercury, blood	2 x 3mL EDTA (Purple)	CTR
UMG	Mercury, urine	50mL Urine (Random)	CTR
24MOH	Methanol, 24-hour urine	24 hours Urine	CTR
UMOH	Methanol, urine	50mL Urine (Random)	CTR
24MEK	Methyl Ethyl Ketone (MEK), 24-hour urine	24 hours Urine	CTR
UMEK	Methyl Ethyl Ketone (MEK), urine	50mL Urine (Random)	CTR
24MHA	Methyl Hippuric Acid (MHA), 24-hour urine	24 hours Urine	CTR
UMHA	Methyl Hippuric Acid (MHA), urine	50mL Urine (Random)	CTR
TMMGS	Methyl Mercury, blood	2 x 3mL EDTA (Purple)	CTR
24MOL	Molybdenum, 24-hour urine	24 hours Urine	CTR
TMOLS	Molybdenum, blood	2 x 3mL EDTA (Purple)	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
UMOL	Molybdenum, urine	50mL Urine (Random)	CTR
24NIC	Nickel, 24-hour urine	24 hours Urine	CTR
TNICS	Nickel, blood	2 x 3mL EDTA (Purple)	CTR
UNIC	Nickel, urine	50mL Urine (Random)	CTR
24PHE	Phenol, 24-hour urine	24 hours Urine	CTR
UPHE	Phenol, urine	50mL Urine (Random)	CTR
24SEL	Selenium, 24-hour urine	24 hours Urine	CTR
TSELS	Selenium, blood	2 x 3mL EDTA (Purple)	CTR
USEL	Selenium, urine	50mL Urine (Random)	CTR
24SIL	Silver, 24-hour urine	24 hours Urine	CTR
USIL	Silver, urine	50mL Urine (Random)	CTR
24SPM	S-Phenyl mercapturic Acid (SPMA), 24-hour urine	24 hours Urine	CTR
USPM	S-Phenyl mercapturic Acid (SPMA), urine	50mL Urine (Random)	CTR
24TIN	Tin, 24-hour urine	24 hours Urine	CTR
TTINS	Tin, blood	2 x 3mL EDTA (Purple)	CTR
UTIN	Tin, urine	50mL Urine (Random)	CTR
24TMA	Trans, Trans-Muconic Acid (TTMA), 24-hour urine	24 hours Urine	CTR
UTMA	Trans, Trans-Muconic Acid (TTMA), urine	50mL Urine (Random)	CTR
24VAN	Vanadium, 24-hour urine	24 hours Urine	CTR
TVANS	Vanadium, blood	2 x 3mL EDTA (Purple)	CTR
UVAN	Vanadium, urine	50mL Urine (Random)	CTR
24ZIN	Zinc, 24-hour urine	24 hours Urine	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
TZINS	Zinc, blood	2 x 3mL EDTA (Purple)	CTR
UZIN	Zinc, urine	50mL Urine (Random)	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Hematology

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
ACA	Anti-Cardiolipin Antibodies (IgG / IgM)	1 x 3.5mL SST (Yellow)	CTR
AT3F	Anti-Thrombin III	2 x 1.8mL Sodium citrate (Blue)	CTR
BASOS	Basophilic Stippling	1 x 3mL EDTA (Purple)	2 working days
ESR	Erythrocytes Sedimentation Rate (ESR)	1 x 3mL EDTA (Purple)	2 working days
G6PD	G6PD Screening	1 x 3mL EDTA (Purple) / Spot blood filter paper / Cord Blood in Lithium Heparin	2 working days
HB	Haemoglobin	1 x 3mL EDTA (Purple)	2 working days
LLA	Lupus Anti-Coagulant	3 x 1.8mL Sodium citrate (Blue)	CTR
BFMP	Malaria Screen, Blood Film	1 x 3mL EDTA (Purple)	2 working days
MP	Malaria Parasite, Rapid Test	1 x 3mL EDTA (Purple)	2 working days
FILAR	Microfilaria, Blood Film	1 x 3mL EDTA (Purple)	2 working days
PCV	Packed Cell Volume (PCV)	1 x 3mL EDTA (Purple)	2 working days
PBFM	Blood Film Comment (by MLS)	1 x 3mL EDTA (Purple)	2 working days
PBFHM	Peripheral Blood Film (Read by Hematologist)	1 x 3mL EDTA (Purple)	CTR
PLT	Platelet Count	1 x 3mL EDTA (Purple)	2 working days
RBC	Red Blood Cell (RBC)	1 x 3mL EDTA (Purple)	2 working days
RETIC	Reticulocyte Count	1 x 3mL EDTA (Purple)	2 working days
WBC	White Blood Cell (WBC)	1 x 3mL EDTA (Purple)	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Coagulation

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
APTT	Activated Partial Thrombin Time (APTT)	1 x 1.8mL Sodium citrate (Blue)	CTR
DDIM	D-Dimer	1 x 1.8mL Sodium citrate (Blue)	2 working days
FA10	Factor 10 assay	1 x 1.8mL Sodium citrate (Blue)	CTR
F11	Factor 11 assay	1 x 1.8mL Sodium citrate (Blue)	CTR
F11I	Factor 11 inhibitor	1 x 1.8mL Sodium citrate (Blue)	CTR
FA12	Factor 12 assay	1 x 1.8mL Sodium citrate (Blue)	CTR
F12I	Factor 12 inhibitor	1 x 1.8mL Sodium citrate (Blue)	CTR
F13SC	Factor 13 screen	1 x 1.8mL Sodium citrate (Blue)	CTR
FA2	Factor 2 assay	1 x 1.8mL Sodium citrate (Blue)	CTR
F2I	Factor 2 inhibitor	1 x 1.8mL Sodium citrate (Blue)	CTR
F5	Factor 5 assay	1 x 1.8mL Sodium citrate (Blue)	CTR
F5I	Factor 5 inhibitor	1 x 1.8mL Sodium citrate (Blue)	CTR
FA7	Factor 7 assay	1 x 1.8mL Sodium citrate (Blue)	CTR
F7I	Factor 7 inhibitor	1 x 1.8mL Sodium citrate (Blue)	CTR
FA8	Factor 8 assay	1 x 1.8mL Sodium citrate (Blue)	CTR
F8I	Factor 8 inhibitor	1 x 1.8mL Sodium citrate (Blue)	CTR
FA9	Factor 9 assay	1 x 1.8mL Sodium citrate (Blue)	CTR
F9I	Factor 9 inhibitor	1 x 1.8mL Sodium citrate (Blue)	CTR
APCR	Factor V Leiden (Activated Protein C Resistance)	2 x 1.8mL Sodium citrate (Blue)	CTR
FIB	Fibrinogen	1 x 1.8mL Sodium citrate (Blue)	CTR
PCF	Protein C	2 x 1.8mL Sodium citrate (Blue)	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
PSF	Protein S	2 x 1.8mL Sodium citrate (Blue)	CTR
PT	Prothrombin Time (PT)	1 x 1.8mL Sodium citrate (Blue)	CTR
TT	Thrombin Time (TT)	1 x 1.8mL Sodium citrate (Blue)	CTR
F8RAC	Von Willebrand's Activity	2 x 1.8mL Sodium citrate (Blue)	CTR
F8RAG	Von Willebrand's Ag	2 x 1.8mL Sodium citrate (Blue)	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Microbiology

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
PUSCS	Abscess/Pus C&S	Abscess/ Pus in swab or sterile container	CTR
CRYTS	<i>Cryptococcus neoformans</i> Antigen Detection	1 x 3.5mL SST (Yellow)	CTR
CRYTC	<i>Cryptococcus neoformans</i> Antigen Detection, CSF	1mL CSF	CTR
CSFCS	CSF C&S	1mL CSF	CTR
EYECS	Eye (Ocular) C&S	Eye Swab in gel	CTR
STCS	Faeces C&S	Stool	CTR
FLCS	Fluid C&S	1mL Fluid	CTR
FUNCS	Fungal Culture	Others	CTR
GNTCS	Genital Tract C&S	Swab in gel / Pus / Fluid	CTR
HVS	High Vaginal Swab (HVS) C&S	High Vaginal Swab in gel	CTR
RESP	Respiratory Tract C&S	BAL / Bronchial Washing	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
SACS	Seminal Fluid C&S	Semen	CTR
SPCS	Sputum C&S	Sputum	CTR
SWCS	Swab C&S	Swab in gel	CTR
TBCUL	TB / AFB Culture	Sputum/ Tissue/ Fluid/ CSF/ Blood	CTR
TICS	Tissue C&S	Tissue	CTR
URINE	Urine C&S	Urine	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Serology

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
ADERO	Adenovirus and Rotavirus Antigen	Stool	2 working days
ADEAG	Adenovirus Antigen	Stool	2 working days
ASOT	Anti-Streptolysin O Titer (ASOT)	1 x 3.5mL SST (Yellow)	2 working days
ASPAB	Aspergillus antibody screen	1 x 3.5mL SST (Yellow)	CTR
ASPG	Aspergillus IgG	2 x 3.5mL SST (Yellow)	CTR
BORDM	<i>Bordetella pertussis</i> IgM	1 x 3.5mL SST (Yellow)	CTR
BORDG	<i>Bordetella pertussis</i> IgG	1 x 3.5mL SST (Yellow)	CTR
LYME	Borrelia Serology (Lyme Disease), Qualitative	1 x 3.5mL SST (Yellow)	CTR
BRUG	Brucella Ab IgG	1 x 3.5mL SST (Yellow)	CTR
BRUM	Brucella Ab IgM	1 x 3.5mL SST (Yellow)	CTR
CHIKU	Chikungunya IgG / IgM	1 x 3.5mL SST (Yellow)	7 working days
CTIGG	<i>Chlamydia trachomatis</i> IgG	1 x 3.5mL SST (Yellow)	3 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
CTIGM	<i>Chlamydia trachomatis</i> IgM	1 x 3.5mL SST (Yellow)	3 working days
CDAGT	<i>Clostridium difficile</i> Antigen and Toxin Detection	Stool	CTR
CMVG	Cytomegalovirus IgG	1 x 3.5mL SST (Yellow)	3 working days
CMVM	Cytomegalovirus IgM	1 x 3.5mL SST (Yellow)	3 working days
DENS1	Dengue NS1 Antigen	1 x 3.5mL SST (Yellow)	2 working days
DENS	Dengue Serology	1 x 3.5mL SST (Yellow)	2 working days
EBVA	EBV VCA IgA	1 x 3.5mL SST (Yellow)	5 working days
EBVG	EBV VCA IgG	1 x 3.5mL SST (Yellow)	3 working days
EBVM	EBV VCA IgM	1 x 3.5mL SST (Yellow)	3 working days
HPAB	<i>Helicobacter Pylori</i> Abs	1 x 3.5mL SST (Yellow)	2 working days
HAVG	Hepatitis A IgG (HAV IgG)	1 x 3.5mL SST (Yellow)	2 working days
HAVM	Hepatitis A IgM (HAV IgM)	1 x 3.5mL SST (Yellow)	3 working days
HBCG	Hepatitis B core IgG (HBc IgG)	1 x 3.5mL SST (Yellow)	3 working days
HBCM	Hepatitis B core IgM (HBc IgM)	1 x 3.5mL SST (Yellow)	3 working days
HBEAB	Hepatitis B envelope Ab (Hbe Ab)	1 x 3.5mL SST (Yellow)	3 working days
HBEAG	Hepatitis B envelope Ag (Hbe Ag)	1 x 3.5mL SST (Yellow)	3 working days
HBSAB	Hepatitis B surface Ab (HBs Ab)	1 x 3.5mL SST (Yellow)	2 working days
HBSAG	Hepatitis B surface Ag (HBs Ag)	1 x 3.5mL SST (Yellow)	2 working days
HEPCG	Hepatitis C Ab	1 x 3.5mL SST (Yellow)	2 working days
HEPD	Hepatitis D Ab	1 x 3.5mL SST (Yellow)	CTR
HEPEG	Hepatitis E IgG	1 x 3.5mL SST (Yellow)	CTR
HEPEM	Hepatitis E IgM	1 x 3.5mL SST (Yellow)	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
HSV1G	Herpes Simplex 1 IgG	1 x 3.5mL SST (Yellow)	3 working days
HSV1M	Herpes Simplex 1 IgM	1 x 3.5mL SST (Yellow)	3 working days
HSV2G	Herpes Simplex 2 IgG	1 x 3.5mL SST (Yellow)	3 working days
HSV2M	Herpes Simplex 2 IgM	1 x 3.5mL SST (Yellow)	3 working days
HIVSC	HIV Ag/Ab Combo Screening	1 x 3.5mL SST (Yellow)	2 working days
RHTLV	Human T-lymphotropic Virus I / II Antibody	1 x 3.5mL SST (Yellow)	2 working days
INFAB	Influenza A / B Screening (Rapid)	Swab in tube Collect the sample collection kit from Laboratory	2 working days
JEIGM	Japanese Encephalitis IgM	1 x 3.5mL SST (Yellow)	CTR
LG1M	<i>Legionella pneumophila</i> IgM	1 x 3.5mL SST (Yellow)	3 working days
LMAT	Leptospirosis – MAT	1 x 3.5mL SST (Yellow)	CTR
LEPAB	Leptospirosis Ab	1 x 3.5mL SST (Yellow)	2 working days
MEASG	Measles IgG	1 x 3.5mL SST (Yellow)	CTR
MEASM	Measles IgM	1 x 3.5mL SST (Yellow)	CTR
MELIO	Melioidosis Ab	1 x 3.5mL SST (Yellow)	CTR
MONOS	Monospot (Paul Bunnell Test)	1 x 3.5mL SST (Yellow)	2 working days
MUMPG	Mumps Virus, IgG	1 x 3.5mL SST (Yellow)	CTR
MUMPM	Mumps Virus, IgM	1 x 3.5mL SST (Yellow)	CTR
MYCOM	<i>Mycoplasma pneumoniae</i> IgM	1 x 3.5mL SST (Yellow)	2 working days
PJIRO	<i>Pneumocystis jiroveci</i> (IFA)	Sputum, BAL	CTR
RVS	Respiratory Virus Screen (Respiratory Syncytial Virus, RSV)	Swab in tube Collect sample collection kit from Laboratory	2 working days
ROTAV	Rotavirus Antigens, Stool	Stool	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
UB14	Urea Breath Test C14	Special Collection Kit. Please ring the lab	CTR
RUBG	Rubella IgG	1 x 3.5mL SST (Yellow)	2 working days
RUBM	Rubella IgM	1 x 3.5mL SST (Yellow)	3 working days
VSAGM	<i>Salmonella typhi</i> IgG & IgM (Rapid Test)	1 x 3.5mL SST (Yellow)	2 working days
TYPAB	Scrub Typhus (<i>Rickettsia tsutsugamushi</i>) antibodies	1 x 3.5mL SST (Yellow)	CTR
SPAG	<i>Streptococcus pneumoniae</i> Antigen Detection (Urine)	50mL Urine (Random)	2 working days
RPR	Syphilis Screening (RPR)	1 x 3.5mL SST (Yellow)	2 working days
STP	Syphilis Screening (TP)	1 x 3.5mL SST (Yellow)	2 working days
TOXOG	Toxoplasma IgG	1 x 3.5mL SST (Yellow)	3 working days
TOXOM	Toxoplasma IgM	1 x 3.5mL SST (Yellow)	3 working days
VZVG	Varicella Zoster IgG	1 x 3.5mL SST (Yellow)	3 working days
VZVM	Varicella Zoster IgM	1 x 3.5mL SST (Yellow)	3 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Special Chemistry

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
125VD	1,25-dihydroxy Vitamin D	1 x 3.5mL SST (Yellow)	CTR
17HCO	17-Hydroxycorticoids, 24-hour urine	24 hours Urine	CTR
17OHP	17-Hydroxy-Progesterone (17-OHP)	1 x 3.5mL SST (Yellow)	CTR
17KETO	17-Ketosteroids, 24-hour urine	24 hours Urine	CTR
VITD	25-OH Vitamin D (Vitamin D)	1 x 3.5mL SST (Yellow)	3 working days
5HIAA	5-Hydroxyindoleacetic Acid (5-HIAA), 24-hour urine	24 hours Urine, in Acetic acid	CTR
PCM	Acetaminophen (Paracetamol/Panadol)	1 x 3.5mL SST (Yellow)	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
ACHR	Acetylcholine receptor antibodies (AchR Ab)	1 x 3.5mL SST (Yellow)	CTR
ADA	Adenosine Deaminase (ADA)	Pleural Fluid / CSF	CTR
ACTH	Adrenocorticotrophic hormone (ACTH)	1 x 3mL EDTA (Purple) Immediately separate and freeze plasma	CTR
ALDOS	Aldosterone	1 x 3.5mL SST (Yellow) or 1 x 3mL EDTA (Purple) or Noting time of day and position of patient (supine or upright).	CTR
AAR1	Aldosterone Renin Ratio	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	CTR
A1AT	Alpha -1 Antitrypsin	1 x 3.5mL SST (Yellow)	3 working days
AFP	Alpha Fetoprotein (AFP)	1 x 3.5mL SST (Yellow)	2 working days
A2M	Alpha-2-Macroglobulin	1 x 3.5mL SST (Yellow)	3 working days
AMIK	Amikacin (Aminoglycosides)	1 x 3.5mL SST (Yellow)	CTR
ACE	Angiotensin converting enzyme (ACE)	1 x 3.5mL SST (Yellow)	CTR
ANCA	Anti-neutrophil cytoplasmic antibody, ANCA	1 x 3.5mL SST (Yellow)	CTR
TPO	Anti -Thyroid peroxidase (Anti-TPO)	1 x 3.5mL SST (Yellow) Separate serum and freeze	CTR
DSDNA	Anti-DNA Abs	1 x 3.5mL SST (Yellow)	3 working days
AMH	Anti-Mullerian Hormone (AMH)	1 x 3.5mL SST (Yellow)	2 working days
GANAI	Anti-Nuclear Antibodies (IFA)	1 x 3.5mL SST (Yellow)	CTR
ATG	Anti-Thyroglobulin (Anti-TG)	1 x 3.5mL SST (Yellow)	CTR
AQUA4	Aquaporin-4 receptor antibody	1 x 3.5mL SST (Yellow)	CTR
HCG	Beta-HCG	1 x 3.5mL SST (Yellow)	2 working days
B2M	Beta-2 microglobulin	1 x 3.5mL SST (Yellow)	3 working days
UB2M	Beta-2 microglobulin, urine	50mL Urine (Random)	3 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
BETAC	Beta-Carotene	1 x 3.5mL SST (Yellow)	CTR
CTX	Beta-Crosslaps (CTX)	1 x 3.5mL SST (Yellow)	CTR
CA125	CA 125	1 x 3.5mL SST (Yellow)	2 working days
CA153	CA 15-3	1 x 3.5mL SST (Yellow)	2 working days
CA199	CA 19-9	1 x 3.5mL SST (Yellow)	2 working days
STONE	Calculus / Stone Analysis	Stone	CTR
CATE	Catecholamines, 24-hour urine	24 hours Urine, with 6.0M HCL	CTR
CEA	CEA	1 x 3.5mL SST (Yellow)	2 working days
CERU	Ceruloplasmin	1 x 3.5mL SST (Yellow)	5 working days
CIE	C1-Esterase inhibition	1 x 3.5mL SST (Yellow)	CTR
C3	Complement 3 (C3)	1 x 3.5mL SST (Yellow)	2 working days
C4	Complement 4 (C4)	1 x 3.5mL SST (Yellow)	2 working days
CORT	Cortisol	1 x 3.5mL SST (Yellow)	3 working days
24COR	Cortisol, 24-hour urine	Urine 24 hours	3 working days
UCORT	Cortisol, urine	50mL Urine (Random)	3 working days
CPEP	C-Peptide	1 x 3.5mL SST (Yellow)	CTR
CEP	CSF Protein Electrophoresis	2mL CSF & 1 x 3.5mL SST (Yellow)	CTR
SEP	Serum Protein Electrophoresis	1 x 3.5mL SST (Yellow)	CTR
UEP	Urine Protein Electrophoresis	60mL Urine (Early Morning Spot Urine)	CTR
ACCP	Cyclic citrullinated peptide antibody (Anti-CCP)	1 x 3.5mL SST (Yellow)	CTR
DCS	Cyclosporine, whole blood	1 x 3mL EDTA (Purple)	CTR
CYFRA	CYFRA 21-1 (Cytokeratin -19 fragments)	1 x 3.5mL SST (Yellow)	7 to 14 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
DHEA	Dehydroepiandrosterone sulphate (DHEAS)	1 x 3.5mL SST (Yellow)	7 working days
DIAZE	Diazepam (Vallium)	1 x 3.5mL SST (Yellow)	CTR
DDIG	Digoxin	1 x 3.5mL SST (Yellow)	CTR
ED	Endomysial auto antibodies	1 x 3.5mL SST (Yellow)	CTR
EPO	Erythropoietin	1 x 3.5mL SST (Yellow)	CTR
ES2	Estradiol (E2)	1 x 3.5mL SST (Yellow)	2 working days
E3	Estriol	1 x 3.5mL SST (Yellow)	CTR
DEVE	Everolimus (EDTA)	1 x 3mL EDTA (Purple)	CTR
FER	Ferritin	1 x 3.5mL SST (Yellow)	3 working days
RFOL	Folate, RBC	1 x 3.5mL SST (Yellow) 1 x 3mL EDTA (Purple)	3 working days
SFOL	Folate, Serum	1 x 3.5mL SST (Yellow)	3 working days
FSH	Follicular Stimulating Hormone (FSH)	1 x 3.5mL SST (Yellow)	2 working days
FAI	Free Androgen Index	1 x 3.5mL SST (Yellow)	3 working days
FT3	Free T3	1 x 3.5mL SST (Yellow)	2 working days
FT4	Free T4	1 x 3.5mL SST (Yellow)	2 working days
FTEST	Free testosterone	1 x 3.5mL SST (Yellow)	3 working days
GST	Gastrin	1 x 3.5mL SST (Yellow)	CTR
GENTA	Gentamicin Assay	1 x 3.5mL SST (Yellow) Please note the date and time pre or post dose	CTR
GLIAA	Gliadin IgA	1 x 3.5mL SST (Yellow)	CTR
GLIAG	Gliadin IgG	1 x 3.5mL SST (Yellow)	CTR
GBMAB	Glomerular basement membrane antibody	1 x 3.5mL SST (Yellow)	14 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
GADA	Glutamic acid decarboxylase autoantibody, GADA	1 x 3.5mL SST (Yellow)	CTR
GH	Growth hormone (GH)	1 x 3.5mL SST (Yellow)	CTR
HAPTO	Haptoglobin	1 x 3.5mL SST (Yellow)	3 working days
FACTR	Health FACTR	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) Fill in the questionnaire	3 working days
HSCRIP	hs C-Reactive Protein (hs CRP)	1 x 3.5mL SST (Yellow)	2 working days
IGA	Immunoglobulin A (IgA)	1 x 3.5mL SST (Yellow)	CTR
IGE	Immunoglobulin E (IgE)	1 x 3.5mL SST (Yellow)	CTR
IGG	Immunoglobulin G (IgG)	1 x 3.5mL SST (Yellow)	CTR
IGM	Immunoglobulin M (IgM)	1 x 3.5mL SST (Yellow)	CTR
IAA	Insulin autoantibody, IAA	1 x 3.5mL SST (Yellow)	CTR
IGF1	Insulin Growth Factor -1 (IGF-1)	1 x 3.5mL SST (Yellow) Separate Serum and Freeze	5 working days
IPTH	Intact Parathyroid Hormone (iPTH)	1 x 3mL EDTA (Purple)	3 working days
ICA	Islet cell cytoplasmic autoantibody, ICA	1 x 3.5mL SST (Yellow)	CTR
LIPAS	Lipase	1 x 3.5mL SST (Yellow)	CTR
FACT	LiverFACT	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) Please provide patient weight and height	3 working days
FAST	LiverFAST	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) Please provide patient weight and height	3 working days
FASTS	LiverFAST Select	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey) Please provide patient weight and height	3 working days
LKMAB	Liver-kidney microsomal autoantibodies	1 x 3.5mL SST (Yellow)	CTR
LH	Luteinizing Hormone (LH)	1 x 3.5mL SST (Yellow)	2 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
META	Metanephrine, 24-hour urine	24 hours Urine, in 6N HCL	CTR
DMTX	Methotrexate	1 x 3.5mL SST (Yellow)	CTR
MTA	Mitochondrial antibody	1 x 3.5mL SST (Yellow)	CTR
MOG	Myelin oligodendrocyte glycoprotein (MOG) antibody	1 x 3.5mL SST (Yellow)	CTR
PANCA	Myeloperoxidase (MPO) – p-ANCA antibody	1 x 3.5mL SST (Yellow)	7 working days
MYO	Myoglobin	1 x 3.5mL SST (Yellow)	CTR
MYOU	Myoglobin, urine	60mL Urine (Random)	CTR
NSE	Neuron Specific Enolase (NSE)	1 x 3.5mL SST (Yellow)	7 to 14 working days
NMDAB	N- methyl-D-aspartate receptor antibody (anti-NMDAR), blood	1 x 3.5mL SST (Yellow)	CTR
NGAL	NGAL, urine	50mL Urine (Random)	5 working days
DPHNO	Phenobarbitone	1 x 3.5mL SST (Yellow)	CTR
DPHNY	Phenytoin (Dilantin)	1 x 3.5mL SST (Yellow)	CTR
PLA2R	Phospholipase A2 receptor (PLA2R) antibody	1 x 3.5mL SST (Yellow)	CTR
PHOAB	Phospholipid Antibody	1 x 3.5mL SST (Yellow)	CTR
PGRP	Pro-Gastrin-Releasing Protein (ProGRP)	1 x 3.5mL SST (Yellow)	7 to 14 working days
P4	Progesterone (P4)	1 x 3.5mL SST (Yellow)	2 working days
PRL	Prolactin	1 x 3.5mL SST (Yellow)	2 working days
CANCA	Proteinase 3 (PR3) - cANCA antibody	1 x 3.5mL SST (Yellow)	7 working days
RENIN	Renin (Direct)	1 x 3mL EDTA (Purple) Immediately separate plasma and freeze at -20 °C or lower.	CTR
SHBG	Sex Hormone Binding Globulin (SHBG)	1 x 3.5mL SST (Yellow)	5 working days
SCCAG	Squamous Cell Carcinoma Antigen (SCCA)	1 x 3.5mL SST (Yellow)	7 to 14 working days

CTR: Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
DSIRO	Sirolimus	1 x 3mL EDTA (Purple)	CTR
SMA	Smooth muscle antibody	1 x 3.5mL SST (Yellow)	CTR
STEST	SteatoTEST	1 x 3.5mL SST (Yellow) 1 x 3mL Fluoride (Grey)	3 working days
STEAT	SteatoTEST (Top Up)	Call The Lab. Provided SteatoTEST has been ordered	2 working days
DTAC	Tacrolimus	1 x 3mL EDTA (Purple)	CTR
TESTO	Testosterone	1 x 3.5mL SST (Yellow)	2 to 5 working days
DTHEO	Theophylline	1 x 3.5mL SST (Yellow)	CTR
HTG	Thyroglobulin	1 x 3.5mL SST (Yellow) Separate Serum and Freeze	5 working days
TSH	Thyroid Stimulating Hormone (TSH)	1 x 3.5mL SST (Yellow)	1 working day
TPSA	Total PSA	1 x 3.5mL SST (Yellow)	1 working day
TSHRA	TSH Receptor Antibody	1 x 3.5mL SST (Yellow) Separate Serum and Freeze	7 working days
DVALP	Valproate	1 x 3.5mL SST (Yellow)	CTR
VANCO	Vancomycin Assay	1 x 3.5mL SST (Yellow) Please note the date and time pre or post dose	CTR
VITA	Vitamin A	1 x 3.5mL SST (Yellow)	CTR
B12	Vitamin B12	1 x 3.5mL SST (Yellow)	3 working days
VITC	Vitamin C	1 x 3.5mL SST (Yellow)	CTR
VITE	Vitamin E	1 x 3.5mL SST (Yellow)	CTR
VMA	VMA Urine Random	50mL Urine (Random) in 6N HCL	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT


Histopathology and Cytology


Please call to gen lab/sales rep to request for price and LTAT

Code	Test Name	Sample Requirement	Lab Turnaround Time (LTAT)
PAPS	PAP Smear	Cervical Smear on slide Please provide 2 slides	CTR
SKIN	Biopsy	Tissue in 10% Formalin	CTR
SMALL	Uncomplicated specimen	Tissue in 10% Formalin	CTR
THINP	Thin Prep	Sample in Thin Prep Collection Kit	CTR

CTR: Please call to gen lab/sales rep to request for price and LTAT


Order of Draw for Multiple Tube Collection

No.	Stopper Color	Additives	Draw Volume*	No. Of Inversion(s)
I		Aerobic Broth/ Anaerobic Broth	Adult : 8 -10 mL Child : 3 – 5 mL	1
II	 Light Blue	Buffered Sodium Citrate 0.105M (3.2%)	Length of the tube: 1.8 mL	3 - 4
III	 Red	Serum Tube	6.0 mL	5
IV	 Yellow	Serum Separating Tube (SST)/ Plain with CLEAR gel	3.5 mL	5
V	 Green	Lithium Heparin	4.0 mL	8
VI	 Green	Sodium Heparin	4.0 mL	8
VII	 Lavender	K ₂ EDTA	3.0 mL	8
VIII	 Grey	Fluoride (Potassium Oxalate/Sodium Fluoride)	2.0 mL	8



* Draw volume of the blood collected should be as indicated on the blood tube. Insufficient sampling will cause incorrect sample to anticoagulant ratio, leading to erroneous results.

* Blood collected into tubes with anticoagulants, preservatives or clot activators should be mixed immediately after collection by gently inverting the tubes according to the suggested number of inversions.





Neogenix Laboratoire Sdn Bhd
C707, Level 7, Block C, Kelana Square,
Kelana Jaya, 47301 Petaling Jaya,
Selangor, Malaysia

T : 03-7621 2154
E : info@neogenix.org
W : www.neogenix.org